



Test Trench Log

Test Trench No.: TT-1-101B

Project: UMore Park

Contractor/Crew: Veit Speciality

Date Started: 9/6/06

Date Completed: 9/6/06

Elevation (ft): 0

Total Depth (ft): 6

Depth to Water (ft): ---

Elev. (ft)	Depth (ft)	Sample	Rec. (ft)	PID (ppm)	Description	Profile	Remarks
0	0	TT-1-101B (0-1')		0.0	Silty sand, fine to medium, poorly sorted, loose, moist, dark brown		Topsoil
-2	2	TT-1-101B (1-2')		0.0	Silty sand, fine to medium, trace coarse sand, poorly sorted, loose, moist, brown		
-4	4	TT-1-101B (2-6')		0.0	Sand, medium to coarse, poorly sorted, loose, moist, brown		
-6	6				End of Test Trench		Depth to top of footing 4'
-8	8						
-10	10						
-12	12						
-14	14						
-16	16						
-18	18						
-20	20						
-22	22						
-24	24						
-26	26						
-28	28						
-30	30						



Test Trench Log

Test Trench No.: TT-2-104B

Project: UMore Park

Contractor/Crew: Veit Speciality

Date Started: 9/6/06

Date Completed: 9/6/06

Elevation (ft): 0

Total Depth (ft): 7

Depth to Water (ft): ---

Elev. (ft)	Depth (ft)	Sample	Rec. (ft)	PID (ppm)	Description	Profile	Remarks
0	0	TT-2-104B (0-1')		2	Sand, fine to medium, poorly sorted, loose, moist, brown		Topsoil
-2	2	TT-2-104B (1-3')		0.0	Silty sand, fine to medium, poorly sorted, loose, moist, brown		Near possible septic line and dry well
-4	4	TT-2-104B (3-7')		0.0	Sand, medium to coarse, poorly sorted, loose, moist, brown		Depth to top of footing 4'
-6	6						
-8	8				End of Test Trench		
-10	10						
-12	12						
-14	14						
-16	16						
-18	18						
-20	20						
-22	22						
-24	24						
-26	26						
-28	28						
-30	30						



Test Trench Log

Test Trench No.: TT-3-104B

Project: UMore Park

Contractor/Crew: Veit Speciality

Date Started: 9/6/06

Date Completed: 9/6/06

Elevation (ft): 0

Total Depth (ft): 7

Depth to Water (ft): ---

Elev. (ft)	Depth (ft)	Sample	Rec. (ft)	PID (ppm)	Description	Profile	Remarks
0	0	TT-3-104B (0-1')		0.0	Sand, medium to coarse, poorly sorted, loose, moist, dark brown		Topsoil
-2	2			0.0			Near possible dry well
-4	4	TT-3-104B (1-7')		0.0	Sand, medium to coarse, poorly sorted, loose, moist, brown		
-6	6			0.0			
-8	8				End of Test Trench		Depth of top of footing 6'
-10	10						
-12	12						
-14	14						
-16	16						
-18	18						
-20	20						
-22	22						
-24	24						
-26	26						
-28	28						
-30	30						



Test Trench Log

Test Trench No.: TT-4-105B

Project: UMore Park

Contractor/Crew: Veit Speciality

Date Started: 9/6/06

Date Completed: 9/6/06

Elevation (ft): 0

Total Depth (ft): 5

Depth to Water (ft): ---

Elev. (ft)	Depth (ft)	Sample	Rec. (ft)	PID (ppm)	Description	Profile	Remarks
0	0	TT-4-105B (0-1')		0.0	Sand, fine to medium, poorly sorted, loose, moist, dark brown		Topsoil
-2	2	TT-4-105B (1-2')		0.0	Silty sand, fine to medium, poorly sorted, medium dense, moist, brown		
-4	4	TT-4-105B (2-6')		0.0	Sand, medium to coarse, poorly sorted, loose, moist, brown		
-6	6				End of Test Trench		Steam line, concrete support uncovered
-8	8						No footing
-10	10						
-12	12						
-14	14						
-16	16						
-18	18						
-20	20						
-22	22						
-24	24						
-26	26						
-28	28						
-30	30						



Test Trench Log

Test Trench No.: TT-5-106B

Project: UMore Park

Contractor/Crew: Veit Speciality

Date Started: 9/6/06

Date Completed: 9/6/06

Elevation (ft): 0

Total Depth (ft): 4

Depth to Water (ft): ---

Elev. (ft)	Depth (ft)	Sample	Rec. (ft)	PID (ppm)	Description	Profile	Remarks
0	0	TT-5-106B (0-2')		0.0	Sand, fine to medium, poorly sorted, loose, moist, dark brown		Topsoil
-2	2			0.0			Concrete footings scattered throughout and a possible dry well
		TT-5-106B (2-4')		0.0	Sand, some brick to concrete, medium to coarse, loose, moist, brown, grayish pockets of sand		
-4	4			0.0			
					End of Test Trench		
-6	6						Depth of top of footing 3'
-8	8						
-10	10						
-12	12						
-14	14						
-16	16						
-18	18						
-20	20						
-22	22						
-24	24						
-26	26						
-28	28						
-30	30						



Test Trench Log

Test Trench No.: TT-6-722B

Project: UMore Park

Contractor/Crew: Veit Speciality

Date Started: 9/6/06

Date Completed: 9/6/06

Elevation (ft): 0

Total Depth (ft): 8

Depth to Water (ft): ---

Elev. (ft)	Depth (ft)	Sample	Rec. (ft)	PID (ppm)	Description	Profile	Remarks
0	0	TT-6-722B (0-1')		0.0	Sand, some roots, fine to medium, poorly sorted, loose, moist, dark brown		Topsoil
-2	2			0.0			Near possible dry well
-4	4	TT-6-722B (1-7')		0.0	Sand, trace roots, fine to medium, poorly sorted, loose, moist, brown		
-6	6						
-8	8	TT-6-722B (7-8')		0.0	Sand, medium to coarse, poorly sorted, loose, moist, brown		Depth to top of footing 5'
					End of Test Trench		
-10	10						
-12	12						
-14	14						
-16	16						
-18	18						
-20	20						
-22	22						
-24	24						
-26	26						
-28	28						
-30	30						



Test Trench Log

Test Trench No.: TT-7-722B

Project: UMore Park

Contractor/Crew: Veit Speciality

Date Started: 9/6/06

Date Completed: 9/6/06

Elevation (ft): 0

Total Depth (ft): 7

Depth to Water (ft): ---

Elev. (ft)	Depth (ft)	Sample	Rec. (ft)	PID (ppm)	Description	Profile	Remarks
0	0	TT-7-722B (0-1')		0.0	Sand, fine to medium, poorly sorted, loose, moist, dark brown		Topsoil
-2	2	TT-7-722B (1-4')		0.0	Sand, trace silt, roots, poorly sorted, loose, moist, brown		Near possible sanitary line
-4	4			0.0			
-6	6	TT-7-722B (4-7')		0.0	Sand, trace silt, poorly sorted, loose, moist, brown		
-8	8				End of Test Trench		Depth to top of footing 5'
-10	10						
-12	12						
-14	14						
-16	16						
-18	18						
-20	20						
-22	22						
-24	24						
-26	26						
-28	28						
-30	30						



Test Trench Log

Test Trench No.: TT-8-102B-4

Project: UMore Park

Contractor/Crew: Veit Speciality

Date Started: 9/6/06

Date Completed: 9/6/06

Elevation (ft): 0

Total Depth (ft): 5

Depth to Water (ft): ---

Elev. (ft)	Depth (ft)	Sample	Rec. (ft)	PID (ppm)	Description	Profile	Remarks
0	0	TT-8-102B-4 (0-1')		1.4	Sand, fine to medium, poorly sorted, loose, moist, dark brown		Topsoil
-2	2			0.0			
-4	4	TT-8-102B-4 (1-5')		0.0	Sand, medium to coarse, poorly sorted, loose, moist, brown		
-6	6				End of Test Trench		
-8	8						
-10	10						
-12	12						
-14	14						
-16	16						
-18	18						
-20	20						
-22	22						
-24	24						
-26	26						
-28	28						
-30	30						

Depth to top of footing
4'



Test Trench Log

Test Trench No.: TT-9-108B

Project: UMore Park

Contractor/Crew: Veit Speciality


Date Started: 9/6/06

Date Completed: 9/6/06

Elevation (ft): 0

Total Depth (ft): 1

Depth to Water (ft): ---

Elev. (ft)	Depth (ft)	Sample	Rec. (ft)	PID (ppm)	Description	Profile	Remarks
0	0	TT-9-108B (0-1')		0.0	Sand, fine to medium, poorly sorted, loose, moist, brown		Next to poured concrete basin
					End of Test Trench		
-2	2						
-4	4						
-6	6						
-8	8						
-10	10						
-12	12						
-14	14						
-16	16						
-18	18						
-20	20						
-22	22						
-24	24						
-26	26						
-28	28						
-30	30						



Test Trench Log

Test Trench No.: TT-10-108B

Project: UMore Park

Contractor/Crew: Veit Speciality

Date Started: 9/6/06

Date Completed: 9/6/06

Elevation (ft): 0

Total Depth (ft): 7

Depth to Water (ft): ---

Elev. (ft)	Depth (ft)	Sample	Rec. (ft)	PID (ppm)	Description	Profile	Remarks
0	0	TT-10-108B (0-1')		0.0	Sand, trace organics, fine to medium, poorly sorted, loose, moist, dark brown		Topsoil
-2	2						Near possible dry well
-4	4	TT-10-108B (1-7')		0.0	Sand, medium to coarse, poorly sorted, loose, moist, brown		Depth to top of footing 3'
-6	6						
-8	8				End of Test Trench		
-10	10						
-12	12						
-14	14						
-16	16						
-18	18						
-20	20						
-22	22						
-24	24						
-26	26						
-28	28						
-30	30						



Test Trench Log

Test Trench No.: TT-11-109B

Project: UMore Park

Contractor/Crew: Veit Speciality

Date Started: 9/6/06

Date Completed: 9/6/06

Elevation (ft): 0

Total Depth (ft): 7

Depth to Water (ft): ---

Elev. (ft)	Depth (ft)	Sample	Rec. (ft)	PID (ppm)	Description	Profile	Remarks
0	0	TT-11-109B (0-1')		0.0	Sand, trace roots, fine to medium, poorly sorted, dark brown		Topsoil
-2	2			0.0			Near possible sanitary line
-4	4	TT-11-109B (1-7')		0.0	Sand, medium to coarse, poorly sorted, loose, moist, brown		
-6	6						
-8	8				End of Test Trench		Depth to top of footing 4'
-10	10						
-12	12						
-14	14						
-16	16						
-18	18						
-20	20						
-22	22						
-24	24						
-26	26						
-28	28						
-30	30						



Test Trench Log

Test Trench No.: TT-12-501B

Project: UMore Park

Contractor/Crew: Veit Speciality

Date Started: 9/6/06

Date Completed: 9/6/06

Elevation (ft): 0

Total Depth (ft):

Depth to Water (ft): ---

Elev. (ft)	Depth (ft)	Sample	Rec. (ft)	PID (ppm)	Description	Profile	Remarks
0	0	TT-12-501B (0-2')		0.0	Sand, trace organics, fine to medium, poorly sorted, loose, moist, dark brown, trace coal		Topsoil Near possible sewer line
-2	2						
-4	4	TT-12-501B (2-6')		0.0	Sand, fine to medium, poorly sorted, loose, moist, dark brown		
-6	6						
-8	8	TT-12-501B (6-8')		0.0	Sand, fine to medium, poorly sorted, loose, moist, brown		Depth to top of footing 4'
					End of Test Trench		
-10	10						
-12	12						
-14	14						
-16	16						
-18	18						
-20	20						
-22	22						
-24	24						
-26	26						
-28	28						
-30	30						



Test Trench Log

Test Trench No.: TT-13-120B-1

Project: UMore Park

Contractor/Crew: Veit Speciality

Date Started: 9/6/06

Date Completed: 9/6/06

Elevation (ft): 0

Total Depth (ft): 6

Depth to Water (ft): ---

Elev. (ft)	Depth (ft)	Sample	Rec. (ft)	PID (ppm)	Description	Profile	Remarks
0	0	T-13-120B-1 (0-1)		0.0	Sand, fine to medium, poorly sorted, loose, moist, dark brown		Topsoil
-2	2			0.0			Near possible sanitary and water line
-4	4	T-13-120B-1 (1-6)			Sand, fine to medium, poorly sorted, loose, moist, brown		
-6	6				End of Test Trench		
-8	8						
-10	10						
-12	12						
-14	14						
-16	16						
-18	18						
-20	20						
-22	22						
-24	24						
-26	26						
-28	28						
-30	30						



Test Trench Log

Test Trench No.: TT-14-112B

Project: UMore Park

Contractor/Crew: Veit Speciality

Date Started: 9/6/06

Date Completed: 9/6/06

Elevation (ft): 0

Total Depth (ft): 6

Depth to Water (ft): ---

Elev. (ft)	Depth (ft)	Sample	Rec. (ft)	PID (ppm)	Description	Profile	Remarks
0	0	TT-14-112B (0-1')		0.0	Sand, fine to medium, poorly sorted, loose, moist, dark brown		Topsoil
				0.0			
-2	2				Sand, medium to coarse, poorly sorted, loose, moist, brown		Near possible dry well
-4	4	TT-14-112B (1-6')					
-6	6				End of Test Trench		
-8	8						Depth to top of footing 4.5'
-10	10						
-12	12						
-14	14						
-16	16						
-18	18						
-20	20						
-22	22						
-24	24						
-26	26						
-28	28						
-30	30						



Test Trench Log

Test Trench No.: TT-15-706J

Project: UMore Park

Contractor/Crew: Veit Speciality

Date Started: 9/6/06

Date Completed: 9/6/06

Elevation (ft): 0

Total Depth (ft): 2

Depth to Water (ft): ---

Elev. (ft)	Depth (ft)	Sample	Rec. (ft)	PID (ppm)	Description	Profile	Remarks
0	0	TT-15-706J (0-1')		0.0	Sand, poorly sorted, medium dense, moist, dark brown		Topsoil
-2	2	TT-15-706J (1-2')		0.0	Sand, medium to coarse, poorly sorted, medium dense, dark brown		
					End of Test Trench		
-4	4						
-6	6						
-8	8						
-10	10						
-12	12						
-14	14						
-16	16						
-18	18						
-20	20						
-22	22						
-24	24						
-26	26						
-28	28						
-30	30						

Depth to top of footing
4'



Test Trench Log

Test Trench No.: TT-16-706J

Project: UMore Park

Contractor/Crew: Veit Speciality

Date Started: 9/6/06

Date Completed: 9/6/06

Elevation (ft): 0

Total Depth (ft): 5

Depth to Water (ft): ---

Elev. (ft)	Depth (ft)	Sample	Rec. (ft)	PID (ppm)	Description	Profile	Remarks
0	0	TT-16-706J (0-1)		0.0 0.0	Sand, fine to medium, poorly sorted, loose, moist, dark brown		Topsoil
-2	2	TT-16-706J (1-5)		0.0	Sand, medium to coarse, poorly sorted, medium dense, moist, brown		
-4	4						
-6	6				End of Test Trench		
-8	8						
-10	10						
-12	12						
-14	14						
-16	16						
-18	18						
-20	20						
-22	22						
-24	24						
-26	26						
-28	28						
-30	30						



Test Trench Log

Test Trench No.: TT-17-113B

Project: UMore Park

Contractor/Crew: Veit Speciality

Date Started: 9/7/06

Date Completed: 9/7/06

Elevation (ft): 0

Total Depth (ft): 7

Depth to Water (ft): ---

Elev. (ft)	Depth (ft)	Sample	Rec. (ft)	PID (ppm)	Description	Profile	Remarks
0	0	TT-17-113B (0-1')		2	Sand, fine to medium, poorly sorted, loose, moist, dark brown		Topsoil
-2	2	TT-17-113B (1-3')		0.0	Sand, trace silt, medium to coarse, poorly sorted, loose, moist, brown		Near possible dry well
-4	4	TT-17-113B (3-7')		0.0	Sand, medium to coarse, poorly sorted, moist, light brown		
-6	6		0.0				
-8	8				End of Test Trench		Depth to top of footing 5.5'
-10	10						
-12	12						
-14	14						
-16	16						
-18	18						
-20	20						
-22	22						
-24	24						
-26	26						
-28	28						
-30	30						



Test Trench Log

Test Trench No.: TT-18-111B

Project: UMore Park

Contractor/Crew: Veit Speciality

Date Started: 9/7/06

Date Completed: 9/7/06

Elevation (ft): 0

Total Depth (ft): 10

Depth to Water (ft): ---

Elev. (ft)	Depth (ft)	Sample	Rec. (ft)	PID (ppm)	Description	Profile	Remarks
0	0	TT-18-111B (0-1')		2	Sand, trace organics, fine to medium, poorly sorted, loose, moist, dark brown		Topsoil
-2	2	TT-18-111B (1-3')		0.0	Silty sand, fine to medium, poorly sorted, loose, moist, brown		Near possible dry well and steam line concrete footing
-4	4			0.0			
-6	6	TT-18-111B (3-10')			Sand, medium to coarse, poorly sorted, loose, moist, brown		
-8	8						Depth to top of footing 8'
-10	10				End of Test Trench		
-12	12						
-14	14						
-16	16						
-18	18						
-20	20						
-22	22						
-24	24						
-26	26						
-28	28						
-30	30						



Test Trench Log

Test Trench No.: TT-19-111B

Project: UMore Park

Contractor/Crew: Veit Speciality

Date Started: 9/7/06

Date Completed: 9/7/06

Elevation (ft): 0

Total Depth (ft): 6

Depth to Water (ft): ---

Elev. (ft)	Depth (ft)	Sample	Rec. (ft)	PID (ppm)	Description	Profile	Remarks
0	0	TT-19-111B (0-1')		0.0	Sand, fine to medium, poorly sorted, loose, moist, dark brown, organics		Topsoil
-2	2			0.0			
-4	4	TT-19-111B (1-6')		0.0	Sand, fine to medium, poorly sorted, loose, moist, brown		
-6	6				End of Test Trench		
-8	8						Depth to top of footing 6'
-10	10						
-12	12						
-14	14						
-16	16						
-18	18						
-20	20						
-22	22						
-24	24						
-26	26						
-28	28						
-30	30						



Test Trench Log

Test Trench No.: TT-20-201B

Project: UMore Park

Contractor/Crew: Veit Speciality




Date Started: 9/7/06

Date Completed: 9/7/06

Elevation (ft): 0

Total Depth (ft): 7

Depth to Water (ft): ---

Elev. (ft)	Depth (ft)	Sample	Rec. (ft)	PID (ppm)	Description	Profile	Remarks
0	0	TT-20-201B (0-1')		0.0	Sand, fine to medium, poorly sorted, loose, moist, dark brown		Gravel on top
-2	2	TT-20-201B (1-3')		0.0	Silty sand, medium to coarse, poorly sorted, loose, moist, brown		
-4	4	TT-20-201B (3-7')		0.0	Sand, medium to coarse, poorly sorted, loose, moist, brown		
-6	6						
-8	8				End of Test Trench		
-10	10						Depth to top of footing 7'
-12	12						
-14	14						
-16	16						
-18	18						
-20	20						
-22	22						
-24	24						
-26	26						
-28	28						
-30	30						