

**TABLE L-3**  
**BUILDING COORDINATES**  
**UTM ZONE 15N, NAD 83, CENTER OF BUILDING**

| <b>Building Number</b> | <b>Building Name</b>                   | <b>Coordinates</b> |            |
|------------------------|--|--------------------|------------|
|                        |  | <b>X</b>           | <b>Y</b>   |
| 101-A                  | Pre-Treated Purified Cotton Storehouse | 495426.93          | 4952850.35 |
| 101-B                  | Pre-Treated Purified Cotton Storehouse | 495242.73          | 4952850.88 |
| 101-C                  | Pre-Treated Purified Cotton Storehouse | 495058.59          | 4952852.30 |
| 102-A1                 | Nitrocel Area Tank Farm-Acid Tanks     | 495380.95          | 4952812.69 |
| 102-A2                 | Acid Tanks on Saddles                  | 495361.95          | 4952810.73 |
| 102-A3                 | Acid Tanks on Saddles                  | 495365.46          | 4952788.72 |
| 102-A4                 | Acid Tanks on Saddles                  | 495365.69          | 4952766.35 |
| 102-B1                 | Acid Tanks on Saddles                  | 495178.81          | 4952811.73 |
| 102-B2                 | Acid Tanks on Saddles                  | 495181.96          | 4952787.60 |
| 102-B3                 | Acid Tanks on Saddles                  | 495182.49          | 4952765.94 |
| 102-B4                 | Nitrocel Area Tank Farm-Acid Tanks     | 495198.40          | 4952810.23 |
| 102-C1                 | Acid Tanks on Saddles                  | 494993.32          | 4952812.66 |
| 102-C2                 | Acid Tanks on Saddles                  | 494997.55          | 4952789.18 |
| 102-C3                 | Acid Tanks on Saddles                  | 494998.84          | 4952768.18 |
| 102-C4                 | Nitrocel Area Tank Farm-Acid Tanks     | 495013.07          | 4952812.16 |
| 102-D                  | Nitrocel area tank farm                | 493623.01          | 4952261.60 |
| 102-E                  | Nitrocel area tank farm                | 493441.71          | 4952257.07 |
| 102-F                  | Nitrocel area tank farm                | 493255.09          | 4952267.49 |
| 103-A                  | Conveyor                               | 495426.71          | 4952775.47 |
| 104-B                  | Cotton Dry House                       | 495237.81          | 4952800.42 |
| 104-C                  | Cotton Dry House Picker dryer Duster   | 495053.27          | 4952801.26 |
| 104-D                  | Cotton Dry House                       | 493684.22          | 4952274.88 |
| 105-A                  | Nitrating House with 2 drowning tubs   | 495427.89          | 4952754.86 |
| 105-A1                 | H.G. and Pyro Warming Tanks            | 495399.89          | 4952784.12 |
| 105-B                  | Nitrating House with 2 drowning tubs   | 495243.43          | 4952756.97 |
| 105-B1                 | H.G. and Pyro Warming Tanks            | 495214.89          | 4952784.89 |
| 105-C                  | Nitrating House with 2 drowning tubs   | 495058.41          | 4952757.38 |
| 105-C1                 | H.G. and Pyro Warming Tanks            | 495030.12          | 4952785.94 |
| 105-D                  | Nitrating House with 2 drowning tubs   | 493682.77          | 4952220.69 |
| 105-D1                 | H.G. and Pyro Warming Tanks            | 493652.94          | 4952257.39 |
| 105-E                  | Nitrating House with 2 drowning tubs   | 493498.54          | 4952231.12 |
| 105-E1                 | H.G. and Pyro Warming Tanks            | 493470.27          | 4952260.45 |
| 105-F                  | Nitrating House with 2 drowning tubs   | 493315.26          | 4952228.12 |
| 105-F1                 | H.G. and Pyro Warming Tanks            | 493286.84          | 4952262.29 |
| 106-A                  | Spent Acid Filters                     | 495429.10          | 4952742.07 |
| 106-B                  | Spent Acid Filters                     | 495244.04          | 4952743.53 |
| 106-C                  | Spent Acid Filters                     | 495058.36          | 4952744.90 |
| 106-D                  | Spent Acid Filters                     | 493683.29          | 4952208.59 |

**TABLE L-3  
BUILDING COORDINATES  
UTM ZONE 15N, NAD 83, CENTER OF BUILDING**

| <b>Building Number</b> | <b>Building Name</b>                           | <b>Coordinates</b> |            |
|------------------------|--|--------------------|------------|
|                        |  | <b>X</b>           | <b>Y</b>   |
| 106-E                  | Spent Acid Filters                             | 493498.86          | 4952219.21 |
| 106-F                  | Spent Acid Filters                             | 493315.79          | 4952216.02 |
| 107-T                  | Field Office                                   | 493189.84          | 4949887.30 |
| 108-A                  | Boiling Tub House 56 tubs                      | 495426.81          | 4952700.18 |
| 108-A1                 | Hot Water Tank                                 | 495460.22          | 4952686.75 |
| 108-A2                 | Trough?  | 495424.90          | 4952666.21 |
| 108-B                  | Boiling Tub House 56 tubs                      | 495242.58          | 4952700.56 |
| 108-B1                 | Hot Water Tank                                 | 495275.53          | 4952687.92 |
| 108-B2                 | Trough?  | 495241.00          | 4952667.28 |
| 108-C                  | Boiling Tub House 56 tubs                      | 495057.11          | 4952701.41 |
| 108-C1                 | Hot Water Tank                                 | 495091.25          | 4952687.98 |
| 108-C2                 | Trough?  | 495058.61          | 4952667.73 |
| 108-D                  | Boiling Tub House 56 tubs                      | 493681.80          | 4952172.02 |
| 108-D1                 | Hot Water Tank                                 | 493718.37          | 4952159.56 |
| 108-E                  | Boiling Tub House 56 tubs                      | 493498.26          | 4952173.32 |
| 108-E1                 | Hot Water Tank                                 | 493531.28          | 4952161.66 |
| 108-F                  | Boiling Tub House 56 tubs                      | 493313.03          | 4952179.85 |
| 108-F1                 | Hot Water Tank                                 | 493349.59          | 4952167.38 |
| 108-T                  | Sanitation Building                            | 493188.92          | 4949877.33 |
| 109-A                  | Pulping House (Jordan Engines-3)               | 495426.07          | 4952636.35 |
| 109-A1                 | Trough   | 495424.00          | 4952606.67 |
| 109-B                  | Pulping House (Jordan Engines-3)               | 495241.84          | 4952637.99 |
| 109-B1                 | Trough   | 495239.75          | 4952607.86 |
| 109-C                  | Pulping House (Jordan Engines-3)               | 495056.77          | 4952638.03 |
| 109-C1                 | Trough   | 495055.50          | 4952608.10 |
| 109-D                  | Pulping House (Jordan Engines-3)               | 493679.45          | 4952110.36 |
| 109-E                  | Pulping House (Jordan Engines-3)               | 493497.23          | 4952112.18 |
| 109-F                  | Pulping House (Jordan Engines-3)               | 493314.35          | 4952111.37 |
| 109-T                  | Sanitation Office                              | 493158.12          | 4949890.63 |
| 110-T                  | Boiler House Sanitation Building               | 493158.24          | 4949878.83 |
| 111-A                  | Nitrocellulose slurry Tank re-slurry           | 495404.98          | 4952502.06 |
| 111-B                  | Nitrocellulose slurry Tank re-slurry           | 495220.18          | 4952502.27 |
| 111-E                  | Slurry Tank House                              | 493477.03          | 4951976.49 |
| 112-A                  | Poacher Tub House 36 tubs packer,slurry.screen | 495425.67          | 4952572.27 |
| 112-A1                 | Hot Water Tank                                 | 495449.51          | 4952563.26 |
| 112-A2                 | Poacher Tub House Pump House                   | 495381.37          | 4952587.73 |
| 112-B                  | Poacher Tub House 36 tubs packer,slurry.screen | 495240.82          | 4952573.60 |
| 112-B1                 | Hot Water Tank                                 | 495265.28          | 4952563.75 |

**TABLE L-3  
BUILDING COORDINATES  
UTM ZONE 15N, NAD 83, CENTER OF BUILDING**

| <b>Building Number</b> | <b>Building Name</b>                           | <b>Coordinates</b> |            |
|------------------------|--|--------------------|------------|
|                        |  | <b>X</b>           | <b>Y</b>   |
| 112-B2                 | Poacher Tub House Pump House                   | 495196.88          | 4952589.12 |
| 112-C                  | Poacher Tub House 36 tubs packer,slurry.screen | 495055.78          | 4952574.74 |
| 112-C1                 | Hot Water Tank                                 | 495080.63          | 4952564.80 |
| 112-C2                 | Poacher Tub House Pump House                   | 495012.10          | 4952589.16 |
| 112-D                  | Poacher Tub House 36 tubs packer,slurry.screen | 493680.24          | 4952047.40 |
| 112-D1                 | Hot Water Tank                                 | 493707.06          | 4952034.97 |
| 112-D2                 | Poacher Tub House Pump House                   | 493640.44          | 4952055.34 |
| 112-E                  | Poacher Tub House 36 tubs packer,slurry.screen | 493497.30          | 4952048.83 |
| 112-E1                 | Hot Water Tank                                 | 493523.26          | 4952037.13 |
| 112-E2                 | Poacher Tub House Pump House                   | 493454.79          | 4952060.25 |
| 112-F                  | Poacher Tub House 36 tubs packer,slurry.screen | 493315.11          | 4952048.36 |
| 112-F1                 | Hot Water Tank                                 | 493340.28          | 4952037.46 |
| 112-F2                 | Poacher Tub House Pump House                   | 493271.69          | 4952063.14 |
| 113-A                  | Blending Tub & Final Wringer (4 tubs Cl paint) | 495426.51          | 4952517.02 |
| 113-A1                 | Trough   | 495418.00          | 4952539.49 |
| 113-B                  | Blending Tub & Final Wringer (4 tubs Cl paint) | 495241.00          | 4952517.86 |
| 113-B1                 | Trough   | 495232.00          | 4952540.10 |
| 113-C                  | Blending Tub & Final Wringer                   | 495056.07          | 4952519.91 |
| 113-C1                 | Trough?  | 495048.47          | 4952543.73 |
| 113-D                  | Blending Tub & Final Wringer                   | 493680.24          | 4951990.56 |
| 113-E                  | Blending Tub & Final Wringer                   | 493499.65          | 4951983.28 |
| 113-F                  | Blending Tub & Final Wringer                   | 493314.70          | 4951991.47 |
| 115-B                  | Paint Storage                                  | 494713.65          | 4952695.04 |
| 120-A                  | Saveall Tank                                   | 495383.25          | 4952574.41 |
| 120-A1                 | Save All Pit                                   | 493304.41          | 4952155.98 |
| 120-AA                 | Save all                                       | 493333.96          | 4952154.66 |
| 120-B                  | Saveall Tank                                   | 495199.24          | 4952574.92 |
| 120-B1                 | Save All Pit                                   | 493673.18          | 4952148.15 |
| 120-BB                 | Save all                                       | 493702.74          | 4952146.83 |
| 120-C                  | Saveall Tank                                   | 495014.61          | 4952576.16 |
| 120-C1                 | Save All Pit                                   | 493481.76          | 4952150.26 |
| 120-CC                 | Save all                                       | 493514.47          | 4952148.54 |
| 120-D                  | Saveall Tank                                   | 493640.40          | 4952042.99 |
| 120-D1                 | Save All Pit                                   | 495227.12          | 4952677.09 |
| 120-DD                 | Save all                                       | 495261.23          | 4952674.71 |
| 120-E                  | Saveall Tank                                   | 493454.74          | 4952047.90 |
| 120-E1                 | Save All Pit                                   | 495043.13          | 4952676.86 |
| 120-EE                 | Save all                                       | 495077.97          | 4952675.36 |

**TABLE L-3  
BUILDING COORDINATES  
UTM ZONE 15N, NAD 83, CENTER OF BUILDING**

| <b>Building Number</b> | <b>Building Name</b>                  | <b>Coordinates</b> |            |
|------------------------|---------------------------------------|--------------------|------------|
|                        |                                       | <b>X</b>           | <b>Y</b>   |
| 120-F                  | Saveall Tank                          | 493271.65          | 4952050.79 |
| 120-F1                 | Save All Pit                          | 495414.28          | 4952675.99 |
| 120-FF                 | Save all                              | 495444.59          | 4952674.02 |
| 121-D                  | Wood Pulp Storehouse                  | 493680.26          | 4952326.42 |
| 121-E                  | Wood Pulp Storehouse                  | 493498.04          | 4952326.95 |
| 121-F                  | Wood Pulp Storehouse                  | 493314.55          | 4952327.16 |
| 122-A                  | Wood pulp dry house                   | 495427.04          | 4952801.96 |
| 122-B                  | wood pulp dry house                   | 495246.79          | 4952800.36 |
| 122-C                  | Wood pulp dry house                   | 495062.39          | 4952801.28 |
| 122-D                  | Wood Pulp Dry House                   | 493693.41          | 4952275.01 |
| 122-E                  | Wood Pulp Dry House                   | 493505.04          | 4952271.17 |
| 122-F                  | Wood Pulp Dry House                   | 493321.98          | 4952271.88 |
| 123-A                  | Wheeling Walk                         | 495426.81          | 4952824.28 |
| 123-B                  | Wheeling Walk                         | 495242.04          | 4952823.77 |
| 123-C                  | Wheeling Walk                         | 495057.57          | 4952825.14 |
| 123-D                  | Wheeled Walk                          | 493694.21          | 4952301.37 |
| 123-E                  | Wheeling Walk                         | 493504.20          | 4952299.13 |
| 123-F                  | Wheeling Walk                         | 493321.20          | 4952299.50 |
| 124-B                  | Conveyor                              | 495241.88          | 4952775.66 |
| 124-C                  | Conveyor                              | 495056.96          | 4952776.11 |
| 124-D                  | Conveyor                              | 493685.14          | 4952242.66 |
| 124-E                  | Conveyor                              | 493497.97          | 4952250.20 |
| 124-F                  | Conveyor                              | 493314.61          | 4952247.99 |
| 127-T1                 | Concrete Mixing Plant                 | 492469.52          | 4951877.94 |
| 127-T2                 | Concrete Mixing Plant                 | 492487.91          | 4951861.82 |
| 127-T3                 | Surface Storage Unknown Purpose       | 492429.18          | 4951816.48 |
| 127-T3                 | Surface Storage Unknown Purpose       | 492429.18          | 4951816.48 |
| 201-A                  | Nitrocellulose Lag Storehouse         | 495424.01          | 4952403.13 |
| 201-B                  | Nitrocellulose Lag Storehouse         | 495240.90          | 4952403.45 |
| 201-C                  | Nitrocellulose Lag Storehouse         | 495055.62          | 4952403.71 |
| 201-D                  | Nitrocel Lag storehouse               | 493680.29          | 4951876.42 |
| 201-E                  | Nitrocel Lag storehouse               | 493497.48          | 4951877.07 |
| 201-F                  | Nitrocel Lag storehouse               | 493314.12          | 4951878.03 |
| 202                    | Strong Alcohol Storage                | 493591.30          | 4951814.53 |
| 202-1                  | Unidentified; possible pad            | 493576.58          | 4951794.75 |
| 202-A                  | Dehydration Press House alcohol added | 495446.15          | 4952322.57 |
| 202-B                  | Dehydration Press House alcohol added | 495404.23          | 4952322.57 |
| 202-C                  | Dehydration Press House alcohol added | 495262.06          | 4952323.54 |

**TABLE L-3  
BUILDING COORDINATES  
UTM ZONE 15N, NAD 83, CENTER OF BUILDING**

| <b>Building Number</b> | <b>Building Name</b>                  | <b>Coordinates</b> |            |
|------------------------|---------------------------------------|--------------------|------------|
|                        |                                       | <b>X</b>           | <b>Y</b>   |
| 202-D                  | Dehydration Press House alcohol added | 495218.54          | 4952324.34 |
| 202-E                  | Dehydration Press House alcohol added | 495076.06          | 4952324.87 |
| 202-F                  | Dehydration Press House alcohol added | 495033.62          | 4952324.69 |
| 202-G                  | Dehydrating Press House               | 493706.88          | 4951796.23 |
| 202-H                  | Dehydrating Press House               | 493654.57          | 4951795.05 |
| 202-J                  | Dehydrating Press House               | 493522.55          | 4951796.56 |
| 202-K                  | Dehydrating Press House               | 493470.80          | 4951798.76 |
| 202-L                  | Dehydrating Press House               | 493339.01          | 4951798.65 |
| 202-M                  | Dehydrating Press House               | 493287.13          | 4951798.20 |
| 202-N                  | Dehydrating Press House               | 493419.09          | 4951790.75 |
| 202-P                  | Dehydrating Press House               | 495177.05          | 4952325.61 |
| 202-SA1                | Strong Alcohol Storage Tanks          | 495326.97          | 4952337.46 |
| 202-SA2                | Strong Alcohol Storage Tanks          | 495339.05          | 4952337.31 |
| 202-SA3                | Tower/stack?                          | 495319.38          | 4952319.63 |
| 202-SA4                | Tower/stack?                          | 495346.16          | 4952319.80 |
| 202-SB1                | Strong Alcohol Storage tanks          | 493590.76          | 4951812.30 |
| 202-SB2                | Pads?                                 | 493603.30          | 4951794.82 |
| 203-A                  | Alcohol Storage                       | 494789.80          | 4952298.87 |
| 203-AA                 | Alcohol Storage Berm                  | 494790.59          | 4952297.03 |
| 203-B1                 | Alcohol Storage                       | 494665.95          | 4952276.54 |
| 203-B2                 | Alcohol Storage                       | 494666.82          | 4952307.25 |
| 203-BB                 | Alcohol Storage Berm                  | 494670.67          | 4952288.03 |
| 203-C                  | Alcohol Storage                       | 493110.57          | 4951990.85 |
| 203-CC                 | Alcohol Storage Berm                  | 493108.63          | 4951992.75 |
| 203-D1                 | Alcohol Storage                       | 493109.49          | 4951869.14 |
| 203-DD                 | Alcohol Storage                       | 493107.48          | 4951869.99 |
| 205-A                  | D.N.T. Screenig House                 | 494700.04          | 4951845.46 |
| 206-A                  | Ether Mix House                       | 495488.84          | 4952282.26 |
| 206-B                  | Ether Mix House                       | 495308.39          | 4952282.12 |
| 206-C                  | Ether Mix House                       | 494983.77          | 4952284.65 |
| 206-D                  | Ether Mix House                       | 493754.35          | 4951755.19 |
| 206-E                  | Ether Mix House                       | 493424.48          | 4951754.60 |
| 206-F                  | Ether Mix House                       | 493242.39          | 4951758.15 |
| 207-A                  | Ether and Alcohol Rect. House         | 495486.66          | 4952247.70 |
| 207-AA                 | Ether and Alcohol Storage             | 495559.29          | 4952246.39 |
| 207-AA1                | Ether Mfg and Alcohol Storage         | 495557.56          | 4952247.89 |
| 207-AC                 | Caustic Mix House                     | 495556.31          | 4952280.69 |
| 207-AC1                | Caustic Mix House                     | 495536.46          | 4952275.37 |

**TABLE L-3  
BUILDING COORDINATES  
UTM ZONE 15N, NAD 83, CENTER OF BUILDING**

| <b>Building Number</b> | <b>Building Name</b>                          | <b>Coordinates</b> |            |
|------------------------|---|--------------------|------------|
|                        |   | <b>X</b>           | <b>Y</b>   |
| 207-B                  | Ether and Alcohol Rect. House                 | 494986.93          | 4952249.73 |
| 207-BB                 | Ether and Alcohol Storage Berm                | 494908.45          | 4952253.01 |
| 207-BB1                | Ether and Alcohol Storage                     | 494933.68          | 4952260.07 |
| 207-BB10               | Ether and Alcohol Storage                     | 494910.75          | 4952250.83 |
| 207-BB11               | Ether and Alcohol Storage                     | 494923.47          | 4952250.78 |
| 207-BB12               | Ether and Alcohol Storage                     | 494934.49          | 4952250.74 |
| 207-BB13               | Ether and Alcohol Storage                     | 494898.04          | 4952252.57 |
| 207-BB2                | Ether and Alcohol Storage                     | 494912.49          | 4952261.84 |
| 207-BB3                | Ether and Alcohol Storage                     | 494922.66          | 4952261.80 |
| 207-BB4                | Ether and Alcohol Storage                     | 494899.77          | 4952262.74 |
| 207-BB5                | Ether and Alcohol Storage                     | 494882.78          | 4952255.18 |
| 207-BB6                | Ether and Alcohol Storage                     | 494897.99          | 4952241.55 |
| 207-BB7                | Ether and Alcohol Storage                     | 494911.56          | 4952241.50 |
| 207-BB8                | Ether and Alcohol Storage                     | 494923.43          | 4952241.45 |
| 207-BB9                | Ether and Alcohol Storage                     | 494934.46          | 4952242.26 |
| 207-BC                 | Caustic Mix House                             | 494940.52          | 4952285.25 |
| 207-C                  | Ether and Alcohol Rect. House                 | 493752.22          | 4951722.15 |
| 207-CC                 | Ether and Alcohol Storage                     | 493823.04          | 4951738.79 |
| 207-D                  | Ether and Alcohol Rect. House                 | 493243.17          | 4951720.90 |
| 207-DC                 | Caustic Mix House                             | 493186.10          | 4951756.87 |
| 207-DD1                | Ether Mfg and Alcohol Storage                 | 493147.42          | 4951722.06 |
| 207-DD2                | Ether Mfg and Alcohol Storage                 | 493182.30          | 4951714.43 |
| 208-A                  | Mixer House Macerator & Blocking              | 495444.90          | 4952258.95 |
| 208-B                  | Mixer House Macerator & Blocking              | 495402.78          | 4952259.13 |
| 208-C                  | Mixer House Macerator & Blocking              | 495261.54          | 4952260.17 |
| 208-D                  | Mixer House Macerator & Blocking              | 495217.58          | 4952259.60 |
| 208-E                  | Mixer House                                   | 495072.31          | 4952261.97 |
| 208-F                  | Mixer House                                   | 495032.47          | 4952262.54 |
| 208-G                  | Mixer House                                   | 493706.23          | 4951733.86 |
| 208-H                  | Mixer House                                   | 493655.49          | 4951733.63 |
| 208-J                  | Mixer House                                   | 493521.74          | 4951734.45 |
| 208-K                  | Mixer House                                   | 493470.89          | 4951734.61 |
| 208-L                  | Mixer House                                   | 493338.85          | 4951737.68 |
| 208-M                  | Mixer House                                   | 493285.97          | 4951736.38 |
| 209-A                  | Scrap Re-work House                           | 494861.79          | 4952182.95 |
| 209-B                  | Scrap Re-work House                           | 493585.20          | 4951643.97 |
| 211-A                  | Horizontal Screen and Press House             | 493701.23          | 4951655.49 |
| 211-A1                 | Horizontal Screen and Press House Loading Bay | 493700.76          | 4951641.57 |

**TABLE L-3**  
**BUILDING COORDINATES**  
**UTM ZONE 15N, NAD 83, CENTER OF BUILDING**

| <b>Building Number</b> | <b>Building Name</b>                          | <b>Coordinates</b> |            |
|------------------------|---|--------------------|------------|
|                        |   | <b>X</b>           | <b>Y</b>   |
| 211-A2                 | Horizontal Screen and Press House Loading Bay | 493711.52          | 4951641.34 |
| 211-B                  | Horizontal Screen and Press House             | 493648.93          | 4951656.38 |
| 211-B1                 | Horizontal Screen and Press House Loading Bay | 493649.15          | 4951641.58 |
| 211-B2                 | Horizontal Screen and Press House Loading Bay | 493659.91          | 4951641.73 |
| 211-C                  | Horizontal Screen and Press House             | 493518.39          | 4951655.63 |
| 211-C1                 | Horizontal Screen and Press House Loading Bay | 493530.81          | 4951640.94 |
| 211-C2                 | Horizontal Screen and Press House Loading Bay | 493519.60          | 4951641.41 |
| 211-D                  | Horizontal Screen and Press House             | 493466.37          | 4951655.44 |
| 211-D1                 | Horizontal Screen and Press House Loading Bay | 493478.96          | 4951641.56 |
| 211-D2                 | Horizontal Screen and Press House Loading Bay | 493467.53          | 4951641.18 |
| 211-E                  | Horizontal Screen and Press House             | 493334.79          | 4951659.21 |
| 211-E1                 | Horizontal Screen and Press House Loading Bay | 493347.55          | 4951644.15 |
| 211-E2                 | Horizontal Screen and Press House Loading Bay | 493336.50          | 4951644.46 |
| 211-F                  | Horizontal Screen and Press House             | 493282.97          | 4951659.39 |
| 211-F1                 | Horizontal Screen and Press House Loading Bay | 493296.18          | 4951644.62 |
| 211-F2                 | Horizontal Screen and Press House Loading Bay | 493284.98          | 4951644.39 |
| 213-A                  | Solvent Rec. Car Wash and Dry House           | 494847.87          | 4952019.07 |
| 213-B                  | Solvent Recovery Car Wash and Dry House       | 494093.05          | 4951385.43 |
| 214A-1                 | Solvent Recovery Houses                       | 495528.82          | 4951919.67 |
| 214A-10                | Solvent Recovery Houses                       | 495363.64          | 4951980.58 |
| 214A-11                | Solvent Recovery Houses                       | 495529.22          | 4952039.88 |
| 214A-12                | Solvent Recovery Houses                       | 495488.31          | 4952039.61 |
| 214A-13                | Solvent Recovery Houses                       | 495447.40          | 4952039.81 |
| 214A-14                | Solvent Recovery Houses                       | 495405.70          | 4952039.91 |
| 214A-15                | Solvent Recovery Houses                       | 495364.79          | 4952040.49 |
| 214A-16                | Solvent Recovery Houses                       | 495571.02          | 4951919.27 |
| 214A-17                | Solvent Recovery Houses                       | 495570.70          | 4951979.56 |
| 214A-18                | Solvent Recovery Houses                       | 495571.56          | 4952039.71 |
| 214A-2                 | Solvent Recovery Houses                       | 495488.40          | 4951920.01 |
| 214A-3                 | Solvent Recovery Houses                       | 495446.68          | 4951920.41 |
| 214A-4                 | Solvent Recovery Houses                       | 495404.87          | 4951920.36 |
| 214A-5                 | Solvent Recovery Houses                       | 495363.34          | 4951920.70 |
| 214A-6                 | Solvent Recovery Houses                       | 495529.79          | 4951979.51 |
| 214A-7                 | Solvent Recovery Houses                       | 495487.59          | 4951980.13 |
| 214A-8                 | Solvent Recovery Houses                       | 495447.17          | 4951980.88 |
| 214A-9                 | Solvent Recovery Houses                       | 495404.56          | 4951980.83 |
| 214B-1                 | Solvent Recovery Houses                       | 495321.36          | 4951921.30 |
| 214B-10                | Solvent Recovery Houses                       | 495155.17          | 4951982.18 |

**TABLE L-3  
BUILDING COORDINATES  
UTM ZONE 15N, NAD 83, CENTER OF BUILDING**

| <b>Building Number</b> | <b>Building Name</b>    | <b>Coordinates</b> |            |
|------------------------|-------------------------|--------------------|------------|
|                        |                         | <b>X</b>           | <b>Y</b>   |
| 214B-11                | Solvent Recovery Houses | 495322.61          | 4952040.33 |
| 214B-12                | Solvent Recovery Houses | 495281.23          | 4952040.86 |
| 214B-13                | Solvent Recovery Houses | 495239.81          | 4952041.28 |
| 214B-14                | Solvent Recovery Houses | 495198.06          | 4952041.59 |
| 214B-15                | Solvent Recovery Houses | 495155.59          | 4952042.87 |
| 214B-2                 | Solvent Recovery Houses | 495280.30          | 4951921.45 |
| 214B-3                 | Solvent Recovery Houses | 495238.30          | 4951921.62 |
| 214B-4                 | Solvent Recovery Houses | 495196.25          | 4951921.90 |
| 214B-5                 | Solvent Recovery Houses | 495156.02          | 4951921.94 |
| 214B-6                 | Solvent Recovery Houses | 495321.75          | 4951981.23 |
| 214B-7                 | Solvent Recovery Houses | 495280.85          | 4951981.00 |
| 214B-8                 | Solvent Recovery Houses | 495239.27          | 4951981.82 |
| 214B-9                 | Solvent Recovery Houses | 495197.20          | 4951981.87 |
| 214C-1                 | Solvent Recovery Houses | 495114.01          | 4951922.32 |
| 214C-10                | Solvent Recovery Houses | 494947.53          | 4951983.21 |
| 214C-11                | Solvent Recovery Houses | 495114.48          | 4952042.38 |
| 214C-12                | Solvent Recovery Houses | 495073.19          | 4952042.54 |
| 214C-13                | Solvent Recovery Houses | 495031.83          | 4952042.85 |
| 214C-14                | Solvent Recovery Houses | 494990.12          | 4952043.02 |
| 214C-15                | Solvent Recovery Houses | 494947.97          | 4952043.23 |
| 214C-16                | Solvent Recovery Houses | 494906.38          | 4951924.35 |
| 214C-2                 | Solvent Recovery Houses | 495072.26          | 4951922.48 |
| 214C-3                 | Solvent Recovery Houses | 495030.55          | 4951922.62 |
| 214C-4                 | Solvent Recovery Houses | 494989.66          | 4951923.64 |
| 214C-5                 | Solvent Recovery Houses | 494947.93          | 4951924.22 |
| 214C-6                 | Solvent Recovery Houses | 495114.25          | 4951982.35 |
| 214C-7                 | Solvent Recovery Houses | 495072.49          | 4951982.51 |
| 214C-8                 | Solvent Recovery Houses | 495031.38          | 4951982.67 |
| 214C-9                 | Solvent Recovery Houses | 494990.93          | 4951983.48 |
| 214D-1                 | Solvent Recovery House  | 493752.31          | 4951449.07 |
| 214D-2                 | Solvent Recovery House  | 493711.64          | 4951449.23 |
| 214D-3                 | Solvent Recovery House  | 493671.98          | 4951449.38 |
| 214D-4                 | Solvent Recovery House  | 493632.32          | 4951448.75 |
| 214D-5                 | Solvent Recovery House  | 493785.88          | 4951508.08 |
| 214D-6                 | Solvent Recovery House  | 493744.63          | 4951508.58 |
| 214D-7                 | Solvent Recovery House  | 493703.58          | 4951508.19 |
| 214D-8                 | Solvent Recovery House  | 493662.47          | 4951508.60 |
| 214D-9                 | Solvent Recovery House  | 493621.44          | 4951508.93 |



**TABLE L-3  
BUILDING COORDINATES  
UTM ZONE 15N, NAD 83, CENTER OF BUILDING**

| <b>Building Number</b> | <b>Building Name</b>  | <b>Coordinates</b> |            |
|------------------------|---|--------------------|------------|
|                        |   | <b>X</b>           | <b>Y</b>   |
| 214D-10                | Solvent Recovery House                                      | 493744.41          | 4951568.35 |
| 214D-11                | Solvent Recovery House                                      | 493703.38          | 4951568.49 |
| 214D-12                | Solvent Recovery House                                      | 493662.10          | 4951568.50 |
| 214D-13                | Solvent Recovery House                                      | 493620.83          | 4951568.83 |
| 214E-1                 | Solvent Recovery House                                      | 493585.24          | 4951449.23 |
| 214E-2                 | Solvent Recovery House                                      | 493542.58          | 4951449.99 |
| 214E-3                 | Solvent Recovery House                                      | 493502.23          | 4951450.14 |
| 214E-4                 | Solvent Recovery House                                      | 493461.81          | 4951449.94 |
| 214E-5                 | Solvent Recovery House                                      | 493419.22          | 4951451.88 |
| 214E-6                 | Solvent Recovery House                                      | 493579.39          | 4951508.71 |
| 214E-7                 | Solvent Recovery House                                      | 493538.11          | 4951508.84 |
| 214E-8                 | Solvent Recovery House                                      | 493497.21          | 4951509.03 |
| 214E-9                 | Solvent Recovery House                                      | 493455.88          | 4951509.64 |
| 214E-10                | Solvent Recovery House                                      | 493414.49          | 4951510.11 |
| 214E-11                | Solvent Recovery House                                      | 493579.63          | 4951569.00 |
| 214E-12                | Solvent Recovery House                                      | 493538.47          | 4951569.35 |
| 214E-13                | Solvent Recovery House                                      | 493497.08          | 4951569.08 |
| 214E-14                | Solvent Recovery House                                      | 493455.82          | 4951569.40 |
| 214E-15                | Solvent Recovery House                                      | 493413.90          | 4951569.83 |
| 214F-1                 | Solvent Recovery House                                      | 493377.20          | 4951451.45 |
| 214F-10                | Solvent Recovery House                                      | 493331.76          | 4951570.04 |
| 214F-11                | Solvent Recovery House                                      | 493290.61          | 4951569.65 |
| 214F-12                | Solvent Recovery House                                      | 493249.60          | 4951570.34 |
| 214F-13                | Solvent Recovery House                                      | 493207.95          | 4951570.93 |
| 214F-2                 | Solvent Recovery House                                      | 493336.36          | 4951450.43 |
| 214F-3                 | Solvent Recovery House                                      | 493294.35          | 4951451.18 |
| 214F-4                 | Solvent Recovery House                                      | 493255.28          | 4951451.30 |
| 214F-5                 | Solvent Recovery House                                      | 493372.91          | 4951509.61 |
| 214F-6                 | Solvent Recovery House                                      | 493331.98          | 4951510.02 |
| 214F-7                 | Solvent Recovery House                                      | 493290.47          | 4951510.22 |
| 214F-8                 | Solvent Recovery House                                      | 493248.57          | 4951510.22 |
| 214F-9                 | Solvent Recovery House                                      | 493373.25          | 4951569.73 |
| 215                    | Solvent Tank Shelter  | 495429.86          | 4952109.62 |
| 215-A                  | Solvent Recovery Reciever                                   | 495384.27          | 4952059.08 |
| 215-A1                 | Solvent Recovery Reciever                                   | 495382.99          | 4951940.06 |
| 215-A2                 | Solvent Recovery Reciever                                   | 495541.53          | 4951998.02 |
| 215-A3                 | Horizontal Screen and Press House Recovery Solvent Receiver | 493684.89          | 4951639.99 |
| 215-AA                 | Vertical Press House Solvent Recovery Reciever              | 495512.03          | 4952169.41 |

**TABLE L-3  
BUILDING COORDINATES  
UTM ZONE 15N, NAD 83, CENTER OF BUILDING**

| <b>Building Number</b> | <b>Building Name</b>                           | <b>Coordinates</b> |            |
|------------------------|--|--------------------|------------|
|                        |  | <b>X</b>           | <b>Y</b>   |
| 215-C                  | Solvent Recovery Receiver                      | 494939.70          | 4952062.70 |
| 215-C1                 | Solvent Recovery Receiver                      | 494939.39          | 4951942.72 |
| 215-D                  | Solvent Recovery Receiver                      | 493798.10          | 4951528.97 |
| 215-D1                 | Solvent Tank Shelters                          | 495147.61          | 4952003.96 |
| 215-F                  | Vertical Press House Solvent Recovery Receiver | 495191.17          | 4952167.22 |
| 215-J                  | Recovery Solvent Receiver                      | 493120.88          | 4951585.57 |
| 215-KK                 | Vertical Press House Solvent Recovery Receiver | 495456.37          | 4952169.20 |
| 215-LL                 | Vertical Press House Solvent Recovery Receiver | 495385.76          | 4952169.07 |
| 215-M                  | Recovery Solvent Receiver                      | 493364.27          | 4951527.00 |
| 215-N                  | Recovery Solvent Receiver                      | 493120.14          | 4951527.30 |
| 215-NN                 | Vertical Press House Solvent Recovery Receiver | 495284.93          | 4952168.48 |
| 215-P                  | Solvent Recovery Receiver                      | 493843.58          | 4951466.98 |
| 215-PP                 | Vertical Press House Solvent Recovery Receiver | 495100.22          | 4952167.41 |
| 215-RR                 | Vertical Press House Solvent Recovery Receiver | 495007.12          | 4952167.46 |
| 215-S                  | Recovery Solvent Receiver                      | 493242.19          | 4951468.92 |
| 215-T                  | Site Prep Recovery Solvent Receiver            | 493038.32          | 4951466.76 |
| 217-A                  | Knife Grind & Die Shop                         | 495172.30          | 4952256.16 |
| 217-A1                 | Unidentified Bldg Storage?                     | 495149.95          | 4952257.56 |
| 219 -B                 | Unload and Water Dry House                     | 493714.56          | 4951322.17 |
| 219 -C                 | Unload and Water Dry House                     | 493633.94          | 4951322.86 |
| 219 -D                 | Unload and Water Dry House                     | 493544.81          | 4951323.99 |
| 219 -E                 | Unload and Water Dry House                     | 493458.99          | 4951321.00 |
| 219 -F                 | Unload and Water Dry House                     | 493381.33          | 4951323.30 |
| 219 -G                 | Unload and Water Dry House                     | 493297.62          | 4951327.29 |
| 219-A                  | Unload and Water Dry House                     | 493793.52          | 4951321.08 |
| 220-A                  | Controlled Circulation Dry                     | 494882.89          | 4951363.25 |
| 220-B                  | Controlled Circulation Dry                     | 494883.60          | 4951221.84 |
| 220-C                  | Controlled Circulation Dry                     | 494880.51          | 4951076.66 |
| 220-D                  | Controlled Circulation Dry                     | 494010.01          | 4951177.73 |
| 220-E                  | Controlled Circulation Dry                     | 493859.38          | 4951179.78 |
| 220-F                  | Controlled Circulation Dry                     | 493714.00          | 4951183.10 |
| 220-F1                 | unidentified                                   | 493709.84          | 4951198.74 |
| 220-G                  | Controlled Circulation Dry                     | 493575.67          | 4951179.42 |
| 220-G1                 | Unknown  | 493567.67          | 4951197.41 |
| 220-H                  | Controlled Circulation Dry                     | 493432.12          | 4951182.22 |
| 220-J                  | Controlled Circulation Dry                     | 493277.33          | 4951180.58 |
| 220-K                  | Controlled Circulation Dry                     | 493134.01          | 4951179.67 |
| 220-N                  | C.C. Dryer Site Prep                           | 492923.43          | 4951011.91 |

**TABLE L-3  
BUILDING COORDINATES  
UTM ZONE 15N, NAD 83, CENTER OF BUILDING**

| <b>Building Number</b> | <b>Building Name</b>                      | <b>Coordinates</b> |            |
|------------------------|---|--------------------|------------|
|                        |   | <b>X</b>           | <b>Y</b>   |
| 220-R                  | C.C. Dryer Site Prep                      | 492924.17          | 4950868.69 |
| 220-T                  | C.C. Dryer Site Prep                      | 492906.52          | 4950715.65 |
| 221-A                  | Blend Tower and Pack House                | 493693.32          | 4950931.33 |
| 221-A1                 | Blend Tower and Pack House Heater House   | 493705.05          | 4950894.28 |
| 221-A2                 | Blend Tower and Pack House Starter House  | 493709.81          | 4950985.65 |
| 221-AA                 | Blend Tower                               | 493694.87          | 4950977.16 |
| 221-B                  | Blend Tower and Pack House                | 493497.80          | 4950914.95 |
| 221-B1                 | Blend Tower and Pack House Heater House   | 493510.64          | 4950890.74 |
| 221-B2                 | Blend Tower and Pack House Starter House  | 493513.63          | 4950985.95 |
| 221-BB                 | Blend Tower                               | 493498.63          | 4950978.85 |
| 221-C                  | Blend Tower and Pack House                | 493298.19          | 4950919.02 |
| 221-C1                 | Blend Tower and Pack House Heater House   | 493323.03          | 4950896.88 |
| 221-C2                 | Blend Tower and Pack House Starter House  | 493325.35          | 4950990.23 |
| 221-CC                 | Blend Tower                               | 493299.14          | 4950982.71 |
| 222-A                  | blend towers and pack houses              | 494635.21          | 4950903.77 |
| 222-A1                 | Blend Tower and Pack House Heater House   | 494658.65          | 4950878.49 |
| 222-A2                 | Blend Tower and Pack House Starter House  | 494665.32          | 4950882.06 |
| 222-A3                 | Blend Tower and Pack House Heater House   | 494571.18          | 4950883.07 |
| 222-AA                 | Blending Tower                            | 494573.84          | 4950907.31 |
| 222-B                  | blend towers and pack houses              | 494638.41          | 4950679.25 |
| 222-B2                 | Blend Towers and Pack House Starter House | 494670.35          | 4950662.00 |
| 222-B3                 | Blend Towers and Pack House Heater House  | 494582.93          | 4950664.61 |
| 222-BB                 | Blending Tower                            | 494577.14          | 4950684.11 |
| 223-A                  | Box Storehouse                            | 494313.41          | 4951120.01 |
| 223-B                  | Box Storehouse                            | 494241.30          | 4951124.79 |
| 224 -D                 | Air Test House                            | 493579.44          | 4950789.35 |
| 224 -E                 | Air Test House                            | 493384.24          | 4950789.50 |
| 224-A                  | Air Test House                            | 495403.58          | 4950034.68 |
| 224-B                  | Air Test House                            | 494942.73          | 4950037.91 |
| 224-C                  | Air Test House                            | 494707.89          | 4950038.82 |
| 226-A                  | Hydraulic & Refrigerator House            | 495352.07          | 4952253.40 |
| 226-A1                 | Hydraulic & Refrigerator House            | 495372.27          | 4952247.79 |
| 226-B                  | Hydraulic and refrigerator house          | 493603.16          | 4951726.89 |
| 226-B1                 | Hydraulic & Refrigerator House            | 493625.47          | 4951723.99 |
| 226-B1                 | Hydraulic & Refrigerator House            | 493625.64          | 4951724.06 |
| 227-A                  | Dry Ingredient Storehouse                 | 494800.61          | 4952431.20 |
| 227-B                  | Dry Ingredient Storehouse                 | 494740.29          | 4952430.46 |
| 227-C                  | Dry Ingredient Storehouse                 | 494679.98          | 4952430.70 |

**TABLE L-3  
BUILDING COORDINATES  
UTM ZONE 15N, NAD 83, CENTER OF BUILDING**

| <b>Building Number</b> | <b>Building Name</b>              | <b>Coordinates</b> |            |
|------------------------|-----------------------------------|--------------------|------------|
|                        |                                   | <b>X</b>           | <b>Y</b>   |
| 227-D                  | Dry Ingredients Storehouse K2SO4  | 495147.56          | 4952123.42 |
| 227-E                  | Dry Ingredient Storehouse         | 493404.94          | 4951663.36 |
| 228-A                  | Ballistic Lab and Range           | 495848.45          | 4951711.65 |
| 228-B                  | Const. Temporary Powder Magazines | 495846.16          | 4951665.71 |
| 228-C                  | Const. Temporary Powder Magazines | 495856.46          | 4951681.03 |
| 228-D                  | Const. Temporary Powder Magazines | 495832.20          | 4951647.48 |
| 228-E                  | Portable Black Powder Magazine    | 495846.33          | 4951603.47 |
| 229-1                  | Shipping House                    | 494469.49          | 4950359.27 |
| 229-10                 | Shipping House                    | 493226.87          | 4950362.92 |
| 229-100                | Shipping House                    | 495037.39          | 4949797.58 |
| 229-101                | Shipping House Site Prep          | 495022.08          | 4949666.41 |
| 229-102                | Shipping House                    | 495325.05          | 4949525.86 |
| 229-103                | Shipping House                    | 495186.19          | 4949524.85 |
| 229-104                | Shipping House                    | 495040.36          | 4949517.30 |
| 229-105                | Shipping House                    | 495336.60          | 4949656.69 |
| 229-106                | Shipping House Site Prep          | 494988.37          | 4948963.95 |
| 229-107                | Shipping House Site Prep          | 494982.01          | 4948823.04 |
| 229-108                | Shipping House                    | 495249.23          | 4948550.51 |
| 229-109                | Shipping House Site Prep          | 495388.12          | 4948549.28 |
| 229-11                 | Shipping House                    | 493088.58          | 4950363.46 |
| 229-110                | Shipping House Site Prep          | 495526.65          | 4948543.88 |
| 229-111                | Shipping House                    | 495525.80          | 4948682.09 |
| 229-112                | Shipping House Site Prep          | 495524.95          | 4948820.99 |
| 229-113                | Shipping House Site Prep          | 495524.09          | 4948957.11 |
| 229-115                | Shipping House Site Prep          | 495524.15          | 4949235.60 |
| 229-116                | Shipping House Site Prep          | 495524.71          | 4949377.43 |
| 229-117                | Shipping House Site Prep          | 492801.55          | 4950354.95 |
| 229-118                | Shipping House Site Prep          | 492813.42          | 4950232.21 |
| 229-119                | Shipping House Site Prep          | 492804.85          | 4950068.23 |
| 229-12                 | Shipping House                    | 492943.54          | 4950360.08 |
| 229-120                | Shipping House                    | 493641.39          | 4949801.75 |
| 229-13                 | Shipping House                    | 494470.21          | 4950217.96 |
| 229-14                 | Shipping House                    | 494332.69          | 4950215.83 |
| 229-15                 | Shipping House                    | 494194.39          | 4950214.71 |
| 229-16                 | Shipping House                    | 494054.76          | 4950219.31 |
| 229-17                 | Shipping House                    | 493917.21          | 4950219.84 |
| 229-18                 | Shipping House                    | 493781.61          | 4950219.62 |
| 229-19                 | Shipping House                    | 493644.38          | 4950224.21 |

**TABLE L-3  
BUILDING COORDINATES  
UTM ZONE 15N, NAD 83, CENTER OF BUILDING**

| <b>Building Number</b> | <b>Building Name</b> | <b>Coordinates</b> |            |
|------------------------|----------------------|--------------------|------------|
|                        |                      | <b>X</b>           | <b>Y</b>   |
| 229-2                  | Shipping House       | 494330.25          | 4950361.64 |
| 229-20                 | Shipping House       | 493512.07          | 4950218.71 |
| 229-21                 | Shipping House       | 493373.79          | 4950223.00 |
| 229-22                 | Shipping House       | 493224.90          | 4950213.73 |
| 229-23                 | Shipping House       | 493086.61          | 4950214.27 |
| 229-24                 | Shipping House       | 492943.01          | 4950224.79 |
| 229-25                 | Shipping House       | 494471.73          | 4950074.57 |
| 229-26                 | Shipping House       | 494332.15          | 4950076.92 |
| 229-27                 | Shipping House       | 494194.13          | 4950070.70 |
| 229-28                 | Shipping House       | 494052.84          | 4950073.95 |
| 229-29                 | Shipping House       | 493919.36          | 4950078.53 |
| 229-3                  | Shipping House       | 494194.96          | 4950362.16 |
| 229-30                 | Shipping House       | 493779.69          | 4950072.92 |
| 229-31                 | Shipping House       | 493645.16          | 4950078.85 |
| 229-32                 | Shipping House       | 493511.52          | 4950077.41 |
| 229-33                 | Shipping House       | 493373.21          | 4950074.94 |
| 229-34                 | Shipping House       | 493224.35          | 4950072.43 |
| 229-35                 | Shipping House       | 493086.06          | 4950072.97 |
| 229-36                 | Shipping House       | 492943.82          | 4950075.14 |
| 229-37                 | Shipping House       | 494886.15          | 4949805.53 |
| 229-38                 | Shipping House       | 494748.29          | 4949810.20 |
| 229-39                 | Shipping House       | 494608.91          | 4949807.64 |
| 229-4                  | Shipping House       | 494056.67          | 4950362.70 |
| 229-40                 | Shipping House       | 494470.32          | 4949809.47 |
| 229-41                 | Shipping House       | 494324.83          | 4949806.54 |
| 229-42                 | Shipping House       | 494186.50          | 4949808.11 |
| 229-43                 | Shipping House       | 494046.10          | 4949809.69 |
| 229-44                 | Shipping House       | 493907.76          | 4949809.20 |
| 229-45                 | Shipping House       | 493768.41          | 4949812.84 |
| 229-46                 | Shipping House       | 494887.14          | 4949668.75 |
| 229-47                 | Shipping House       | 494748.76          | 4949665.67 |
| 229-48                 | Shipping House       | 494606.30          | 4949667.25 |
| 229-49                 | Shipping House       | 494467.96          | 4949666.76 |
| 229-5                  | Shipping House       | 493917.75          | 4950360.54 |
| 229-50                 | Shipping House       | 494326.35          | 4949666.13 |
| 229-51                 | Shipping House       | 494183.88          | 4949666.69 |
| 229-52                 | Shipping House       | 494045.55          | 4949668.26 |
| 229-53                 | Shipping House       | 493908.24          | 4949666.73 |

**TABLE L-3  
BUILDING COORDINATES  
UTM ZONE 15N, NAD 83, CENTER OF BUILDING**

| <b>Building Number</b> | <b>Building Name</b> | <b>Coordinates</b> |            |
|------------------------|----------------------|--------------------|------------|
|                        |                      | <b>X</b>           | <b>Y</b>   |
| 229-54                 | Shipping House       | 493769.91          | 4949667.27 |
| 229-55                 | Shipping House       | 494886.87          | 4949522.59 |
| 229-56                 | Shipping House       | 494748.21          | 4949525.27 |
| 229-57                 | Shipping House       | 494607.81          | 4949524.78 |
| 229-58                 | Shipping House       | 494468.45          | 4949527.39 |
| 229-59                 | Shipping House       | 494324.76          | 4949524.71 |
| 229-6                  | Shipping House       | 493778.10          | 4950358.99 |
| 229-60                 | Shipping House       | 494184.37          | 4949526.29 |
| 229-61                 | Shipping House       | 495380.80          | 4949380.19 |
| 229-62                 | Shipping House       | 495248.29          | 4949381.75 |
| 229-63                 | Shipping House       | 495117.87          | 4949380.16 |
| 229-64                 | Shipping House       | 494990.62          | 4949379.60 |
| 229-65                 | Shipping House       | 494860.21          | 4949380.11 |
| 229-66                 | Shipping House       | 494728.74          | 4949379.57 |
| 229-67                 | Shipping House       | 494594.30          | 4949382.77 |
| 229-68                 | Shipping House       | 494461.79          | 4949384.34 |
| 229-69                 | Shipping House       | 494322.97          | 4949384.88 |
| 229-7                  | Shipping House       | 493644.90          | 4950359.50 |
| 229-70                 | Shipping House       | 495380.10          | 4949242.89 |
| 229-71                 | Shipping House       | 495247.57          | 4949238.15 |
| 229-72                 | Shipping House       | 495117.17          | 4949241.81 |
| 229-74                 | Shipping House       | 494858.62          | 4949241.29 |
| 229-75                 | Shipping House       | 494990.06          | 4949236.57 |
| 229-75                 | Shipping House       | 494725.05          | 4949241.81 |
| 229-76                 | Shipping House       | 494593.76          | 4949242.90 |
| 229-77                 | Shipping House       | 494462.29          | 4949243.41 |
| 229-78                 | Shipping House       | 494322.42          | 4949243.95 |
| 229-79                 | Shipping House       | 495377.63          | 4949102.48 |
| 229-8                  | Shipping House       | 493507.23          | 4950363.49 |
| 229-80                 | Shipping House       | 495249.74          | 4949096.94 |
| 229-81                 | Shipping House       | 495115.84          | 4949098.67 |
| 229-82                 | Shipping House       | 494988.47          | 4949098.80 |
| 229-83                 | Shipping House       | 494859.12          | 4949101.41 |
| 229-84                 | Shipping House       | 494726.60          | 4949098.77 |
| 229-85                 | Shipping House       | 494593.21          | 4949101.97 |
| 229-86                 | Shipping House       | 494462.80          | 4949102.48 |
| 229-87                 | Shipping House       | 494321.87          | 4949103.03 |
| 229-88                 | Shipping House       | 495377.08          | 4948960.14 |

**TABLE L-3  
BUILDING COORDINATES  
UTM ZONE 15N, NAD 83, CENTER OF BUILDING**

| <b>Building Number</b> | <b>Building Name</b>         | <b>Coordinates</b> |            |
|------------------------|------------------------------|--------------------|------------|
|                        |                              | <b>X</b>           | <b>Y</b>   |
| 229-89                 | Shipping House               | 495246.79          | 4948958.23 |
| 229-9                  | Shipping House               | 493371.63          | 4950363.71 |
| 229-90                 | Shipping House               | 495116.51          | 4948959.94 |
| 229-91                 | Shipping House               | 495376.53          | 4948819.00 |
| 229-92                 | Shipping House               | 495248.65          | 4948817.08 |
| 229-93                 | Shipping House               | 495117.17          | 4948820.01 |
| 229-94                 | Shipping House               | 495378.39          | 4948677.85 |
| 229-95                 | Shipping House               | 495249.32          | 4948678.35 |
| 229-96                 | Shipping House               | 495116.93          | 4948678.57 |
| 229-97                 | Shipping House               | 495464.49          | 4949809.74 |
| 229-98                 | Shipping House Site Prep     | 495326.66          | 4949806.14 |
| 229-99                 | Shipping House               | 495185.75          | 4949808.76 |
| 232-A                  | Box repair shop              | 494254.18          | 4950878.85 |
| 233-A                  | Screen Cleaning House        | 494883.09          | 4952325.61 |
| 234-A                  | Vertical Press Houses        | 495503.17          | 4952184.25 |
| 234-B                  | Vertical Press Houses        | 495447.16          | 4952186.15 |
| 234-D                  | Vertical Press Houses        | 495397.49          | 4952186.62 |
| 234-E                  | Vertical Press Houses        | 495273.90          | 4952185.80 |
| 234-E                  | Vertical Press Houses        | 495339.15          | 4952186.02 |
| 234-F                  | Vertical Press Houses        | 495207.00          | 4952185.03 |
| 234-G                  | Vertical Press Houses        | 495150.40          | 4952185.76 |
| 234-H                  | Vertical Press Houses        | 495087.25          | 4952184.10 |
| 234-J                  | Vertical Press Houses        | 495024.62          | 4952185.85 |
| 234-K                  | Vertical Press Houses        | 495444.86          | 4952136.80 |
| 234-L                  | Vertical Press Houses        | 495399.07          | 4952136.98 |
| 234-M                  | Vertical Press Houses        | 495272.67          | 4952135.89 |
| 234-N                  | Vertical Press Houses        | 495202.96          | 4952134.90 |
| 234-P                  | Vertical Press Houses        | 495087.51          | 4952135.71 |
| 234-R                  | Vertical Press Houses        | 495020.19          | 4952136.46 |
| 235-A                  | Rifle Powder Water Dry House | 495601.52          | 4951606.15 |
| 235-B                  | Rifle Powder Water Dry House | 495520.80          | 4951603.27 |
| 235-C                  | Rifle Powder Water Dry House | 495438.90          | 4951602.88 |
| 236-A                  | Sweetie Barrel House         | 495603.23          | 4951783.37 |
| 236-B                  | Sweetie Barrel House         | 495530.76          | 4951783.42 |
| 236-C                  | Sweetie Barrel House         | 495457.28          | 4951784.33 |
| 236-D                  | Sweetie Barrel House         | 495382.84          | 4951784.62 |
| 236-E                  | Sweetie Barrel House         | 495593.28          | 4951711.39 |
| 236-F                  | Sweetie Barrel House         | 495521.86          | 4951712.35 |

**TABLE L-3  
BUILDING COORDINATES  
UTM ZONE 15N, NAD 83, CENTER OF BUILDING**

| <b>Building Number</b> | <b>Building Name</b>  | <b>Coordinates</b> |            |
|------------------------|-----------------------|--------------------|------------|
|                        |                       | <b>X</b>           | <b>Y</b>   |
| 236-G                  | Sweetie Barrel House  | 495449.75          | 4951711.26 |
| 236-H                  | Sweetie Barrel House  | 495377.64          | 4951712.91 |
| 236-J                  | Sweetie Barrel House  | 495347.37          | 4951596.95 |
| 237-A                  | Tray Dryers           | 495421.52          | 4951485.30 |
| 237-A1                 | Tray Dryers Fan House | 495444.30          | 4951484.17 |
| 237-B                  | Tray Dryers           | 495422.91          | 4951389.54 |
| 237-B1                 | Tray Dryers Fan House | 495445.69          | 4951388.41 |
| 237-C                  | Tray Dryers           | 495420.62          | 4951288.58 |
| 237-C1                 | Tray Dryers Fan House | 495443.40          | 4951287.46 |
| 237-D                  | Tray Dryers           | 495425.80          | 4951189.24 |
| 237-D1                 | Tray Dryers Fan House | 495448.58          | 4951188.11 |
| 237-E                  | Tray Dryers           | 495423.37          | 4951090.20 |
| 237-E1                 | Tray Dryers Fan House | 495446.15          | 4951089.07 |
| 237-F                  | Tray Dryers           | 495310.95          | 4951486.19 |
| 237-F1                 | Tray Dryers Fan House | 495288.17          | 4951487.32 |
| 237-G                  | Tray Dryers           | 495312.26          | 4951388.88 |
| 237-G1                 | Tray Dryers Fan House | 495289.48          | 4951390.01 |
| 237-H                  | Tray Dryers           | 495311.61          | 4951286.41 |
| 237-H1                 | Tray Dryers Fan House | 495288.83          | 4951287.54 |
| 237-J                  | Tray Dryers           | 495311.50          | 4951188.87 |
| 237-J1                 | Tray Dryers Fan House | 495288.72          | 4951190.00 |
| 237-K                  | Tray Dryers           | 495145.19          | 4951486.24 |
| 237-K1                 | Tray Dryers Fan House | 495167.97          | 4951485.12 |
| 237-L                  | Tray Dryers           | 495146.33          | 4951390.49 |
| 237-L1                 | Tray Dryers Fan House | 495169.11          | 4951389.36 |
| 237-M                  | Tray Dryers           | 495143.91          | 4951289.66 |
| 237-M1                 | Tray Dryers Fan House | 495166.69          | 4951288.53 |
| 237-N                  | Tray Dryers           | 495141.50          | 4951190.34 |
| 237-N1                 | Tray Dryers Fan House | 495164.28          | 4951189.22 |
| 237-P                  | Tray Dryers           | 495036.16          | 4951487.74 |
| 237-P1                 | Tray Dryers Fan House | 495013.38          | 4951488.86 |
| 237-R                  | Tray Dryers           | 495033.87          | 4951388.45 |
| 237-R1                 | Tray Dryers Fan House | 495011.09          | 4951389.58 |
| 237-S                  | Tray Dryers           | 495035.51          | 4951287.35 |
| 237-S1                 | Tray Dryers Fan House | 495012.73          | 4951288.48 |
| 237-T                  | Tray Dryers           | 495033.09          | 4951188.04 |
| 237-T1                 | Tray Dryers Fan House | 495010.31          | 4951189.16 |
| 238-A                  | Glaze Barrel House    | 495419.25          | 4950990.75 |



**TABLE L-3  
BUILDING COORDINATES  
UTM ZONE 15N, NAD 83, CENTER OF BUILDING**

| <b>Building Number</b> | <b>Building Name</b>                   | <b>Coordinates</b> |            |
|------------------------|--|--------------------|------------|
|                        |  | <b>X</b>           | <b>Y</b>   |
| 238-B                  | Glaze Barrel House                     | 495418.66          | 4950891.79 |
| 238-C                  | Glaze Barrel House                     | 495316.10          | 4950989.90 |
| 238-D                  | Glaze Barrel House                     | 495316.67          | 4950892.50 |
| 238-E                  | Glaze Barrel House                     | 495140.47          | 4950990.26 |
| 238-F                  | Glaze Barrel House                     | 495139.79          | 4950892.67 |
| 238-G                  | Glaze Barrel House                     | 495037.99          | 4950990.68 |
| 238-H                  | Glaze Barrel House                     | 495038.23          | 4950892.33 |
| 238-J                  | Glaze Barrel House                     | 495140.75          | 4951088.29 |
| 238-K                  | Glaze Barrel House                     | 495038.79          | 4951087.85 |
| 239-A                  | Shaker Sieve Houses                    | 495403.42          | 4950783.18 |
| 239-B                  | Shaker Sieve Houses                    | 495403.98          | 4950673.23 |
| 239-C                  | Shaker Sieve Houses                    | 495241.27          | 4950791.93 |
| 239-D                  | Shaker Sieve Houses                    | 495245.06          | 4950678.26 |
| 239-E                  | Shaker Sieve Houses                    | 495245.55          | 4950569.20 |
| 239-F                  | Shaker Sieve Houses                    | 495087.31          | 4950783.43 |
| 239-G                  | Shaker Sieve Houses                    | 495086.88          | 4950670.54 |
| 239-H                  | Shaker Sieve Houses                    | 495086.45          | 4950560.59 |
| 239-J                  | Shaker Sieve Houses                    | 494927.14          | 4950788.01 |
| 239-K                  | Shaker Sieve Houses                    | 494925.44          | 4950681.16 |
| 240-A                  | Powder Blend Tower and Pack House      | 495509.89          | 4950175.55 |
| 240-A1                 | Powder Blend Tower Heater House        | 495531.74          | 4950218.17 |
| 240-A2                 | Powder Blend Tower Heater House        | 495527.68          | 4950136.13 |
| 240-AA                 | Powder Blend Tower                     | 495509.64          | 4950222.07 |
| 240-B                  | Powder Blend Tower and Pack House      | 495286.28          | 4950178.16 |
| 240-B2                 | Powder Blend Tower Heating House       | 495306.22          | 4950142.53 |
| 240-B2                 | Powder Blend Tower Starter House       | 495304.39          | 4950229.28 |
| 240-BB                 | Blend Tower                            | 495286.25          | 4950225.08 |
| 240-C                  | Blend Tower and Pack house             | 495058.28          | 4950172.17 |
| 240-C1                 | Rifle Powder Blend Tower Heater House  | 495078.43          | 4950139.83 |
| 240-C2                 | Rifle Powder Blend Tower Heater House  | 495074.24          | 4950226.34 |
| 240-CC                 | blend tower                            | 495057.88          | 4950219.27 |
| 240-D                  | Blend Tower and Pack house             | 494831.38          | 4950176.38 |
| 240-D1                 | Rifle Powder Blend Tower Starter House | 494857.09          | 4950229.44 |
| 240-D2                 | Rifle Powder Blend Tower Heater House  | 494854.23          | 4950141.22 |
| 240-DD                 | blend tower                            | 494830.60          | 4950224.96 |
| 251-A                  | Act. Carb. Solv. Recov. System         | 495586.39          | 4952177.83 |
| 251-B                  | Act. Carb. Solv. Recov. House          | 494939.51          | 4952182.46 |
| 251-C                  | Act. Carb. Recov. System               | 493788.03          | 4951656.51 |

**TABLE L-3  
BUILDING COORDINATES  
UTM ZONE 15N, NAD 83, CENTER OF BUILDING**

| <b>Building Number</b> | <b>Building Name</b>          | <b>Coordinates</b> |            |
|------------------------|-------------------------------|--------------------|------------|
|                        |                               | <b>X</b>           | <b>Y</b>   |
| 251-D                  | Act. Carb. Solv. Recov. House | 493201.70          | 4951657.79 |
| 255-A                  | Bag repair and stencil house  | 494306.61          | 4950878.70 |
| 260-A                  | D.N.T. Storage, Igloo Type    | 492393.00          | 4951450.50 |
| 260-B                  | D.N.T. Storage, Igloo Type    | 492393.79          | 4951320.71 |
| 260-C                  | D.N.T. Storage, Igloo Type    | 492391.96          | 4951190.37 |
| 260-D                  | D.N.T. Storage, Igloo Type    | 492391.84          | 4951057.09 |
| 260-E                  | D.N.T. Storage, Igloo Type    | 492266.63          | 4951517.15 |
| 260-F                  | D.N.T. Storage, Igloo Type    | 492262.52          | 4951387.10 |
| 260-G                  | D.N.T. Storage, Igloo Type    | 492262.49          | 4951256.24 |
| 260-H                  | D.N.T. Storage, Igloo Type    | 492265.66          | 4951127.86 |
| 262-A                  | Powder Transfer Platform      | 494062.92          | 4950605.82 |
| 262-B                  | Powder Transfer Platform      | 493387.30          | 4950608.45 |
| 263-A                  | DNT Transfer Platform         | 495352.51          | 4952287.89 |
| 263-A1                 | DNT Unloading Ramp            | 495288.78          | 4952318.41 |
| 263-C                  | DNT Transfer Station          | 492598.86          | 4951480.88 |
| 264-A                  | glaze barrel house barricades | 495418.51          | 4950990.64 |
| 264-B                  | glaze barrel house barricades | 495419.14          | 4950892.88 |
| 264-C                  | glaze barrel house barricades | 495316.22          | 4950988.88 |
| 264-D                  | glaze barrel house barricades | 495315.97          | 4950890.85 |
| 264-E                  | glaze barrel house barricades | 495141.79          | 4950991.09 |
| 264-F                  | glaze barrel house barricades | 495141.01          | 4950892.61 |
| 264-G                  | glaze barrel house barricades | 495038.25          | 4950988.83 |
| 264-H                  | glaze barrel house barricades | 495037.92          | 4950891.07 |
| 264-J                  | glaze barrel house barricades | 495141.18          | 4951089.22 |
| 264-K                  | glaze barrel house barricades | 495039.15          | 4951086.87 |
| 269-A                  | Water Dry House               | 495292.82          | 4951820.07 |
| 269-B                  | Water Dry House               | 495200.81          | 4951818.77 |
| 269-C                  | Water Dry House               | 495109.76          | 4951819.06 |
| 269-D                  | Water Dry House               | 495018.16          | 4951822.33 |
| 269-E                  | Water Dry House               | 494932.25          | 4951822.13 |
| 269-F                  | Water Dry House               | 495292.30          | 4951737.55 |
| 269-G                  | Water Dry House               | 495201.07          | 4951737.56 |
| 269-H                  | Water Dry House               | 495110.76          | 4951737.57 |
| 269-J                  | Water Dry House               | 495019.63          | 4951739.81 |
| 269-K                  | Water Dry House               | 494934.24          | 4951739.53 |
| 269-L                  | Water Dry House               | 494843.09          | 4951739.24 |
| 269-M                  | Water Dry House               | 495292.30          | 4951655.02 |
| 269-N                  | Water Dry House               | 495200.56          | 4951656.48 |

**TABLE L-3  
BUILDING COORDINATES  
UTM ZONE 15N, NAD 83, CENTER OF BUILDING**

| <b>Building Number</b> | <b>Building Name</b>                                       | <b>Coordinates</b> |            |
|------------------------|--|--------------------|------------|
|                        |  | <b>X</b>           | <b>Y</b>   |
| 269-P                  | Water Dry House  | 495109.65          | 4951656.78 |
| 269-R                  | Water Dry House  | 495020.44          | 4951656.38 |
| 269-S                  | Water Dry House  | 494933.89          | 4951658.11 |
| 269-T                  | Water Dry House  | 494843.40          | 4951658.42 |
| 280-A                  | Rest House   | 495733.85          | 4951181.67 |
| 280-B                  | Rest House   | 495733.21          | 4951018.64 |
| 301-A                  | LP or HP Anhy. Ammonia Storage                             | 495925.35          | 4952684.00 |
| 301-A L.P.             | L.P Anhy. Ammonia Storage                                  | 495929.58          | 4952671.41 |
| 301-B                  | Anh. NH3 Storage   | 494061.48          | 4952280.39 |
| 301-B1                 | L.P. NH3 Sphere  | 494063.03          | 4952139.41 |
| 301-B2                 | Residual Acid Storage tanks                                | 493815.99          | 4952278.25 |
| 301-B3                 | Strong NA and Strong Mix Storage Tanks                     | 493867.78          | 4952274.93 |
| 301-B4                 | 62% NA Storage Tanks                                       | 493969.12          | 4952269.00 |
| 301-B5                 | Cooler Condensers  | 493986.72          | 4952273.44 |
| 301-B6                 | 104.5% Oleum Storage                                       | 493927.07          | 4952332.08 |
| 301-B7                 | Unidentified; possible tank support                        | 494105.96          | 4952294.46 |
| 301-B8                 | Fuel Oil Berm  | 494129.55          | 4952324.42 |
| 301-B9                 | Fuel Oil tanks   | 494130.53          | 4952325.35 |
| 301-F                  | Anh NH3 Pr. Storage  | 495928.05          | 4952800.99 |
| 302-A                  | Ammonia Oxidation Plant                                    | 495881.61          | 4952792.28 |
| 302-A1                 | Acid Area Tank Farm NA Storage Tanks                       | 495835.56          | 4952801.42 |
| 302-B                  | Ammonia Oxidation Plant                                    | 494012.67          | 4952266.10 |
| 303-A                  | S.A. Sulphuric Acid Concen.                                | 496035.15          | 4952736.19 |
| 303-A1                 | N.A.Nitric Acid Concent.                                   | 495677.76          | 4952806.12 |
| 303-A2                 | N.A. Nitric Acid Concent.                                  | 495708.12          | 4952804.00 |
| 303-A3                 | Residual and 55% HNO3 tanks                                | 495693.40          | 4952801.76 |
| 303-A4                 | Precipitators  | 496053.00          | 4952736.35 |
| 303-B                  | S.A. Sulphuric Acid Concen.                                | 494112.70          | 4952259.75 |
| 303-B1                 | N.A. Nitric Acid Concen.                                   | 493840.40          | 4952280.04 |
| 303-B4                 | Precipitators  | 494129.59          | 4952266.36 |
| 303-B5                 | Comp. House  | 494059.80          | 4952152.77 |
| 305-A                  | Acid Area Tank Farm-Oleum Storage                          | 495707.68          | 4952860.22 |
| 305-A1                 | Acid Area Tank Farm Concentrated Mix Circulators           | 495808.18          | 4952796.63 |
| 305-A2                 | Acid Area Tank Farm Concentrated Mix Storage Tanks         | 495763.43          | 4952787.82 |
| 305-A3                 | Acid Area Tank Farm H2SO4 and Fortified Waste Acid Storage | 495786.58          | 4952806.31 |
| 305-A4                 | Acid Area Tank Farm Strong NA and Strong Mix Storage       | 495736.63          | 4952801.08 |
| 305-A6                 | Unknown Structure Acid Area Steamline Support?             | 495701.96          | 4952697.86 |
| 305-B                  | Acid Area Tank Farm  | 493921.80          | 4952261.87 |

**TABLE L-3  
BUILDING COORDINATES  
UTM ZONE 15N, NAD 83, CENTER OF BUILDING**

| <b>Building Number</b> | <b>Building Name</b>                       | <b>Coordinates</b> |            |
|------------------------|--|--------------------|------------|
|                        |  | <b>X</b>           | <b>Y</b>   |
| 401-A                  | Power House                                | 495731.24          | 4952382.70 |
| 401-A1                 | Power House Smokestack                     | 495747.86          | 4952398.78 |
| 401-A10                | Coal Conveyor                              | 495808.59          | 4952409.76 |
| 401-A11                | Coal Hoppers                               | 495914.72          | 4952408.88 |
| 401-A12                | Soften Water Tower                         | 495791.07          | 4952423.13 |
| 401-A2                 | Power house Smokestack                     | 495747.81          | 4952385.61 |
| 401-A3                 | Power house Smokestack                     | 495747.75          | 4952370.19 |
| 401-A4                 | Power house Smokestack                     | 495747.70          | 4952357.36 |
| 401-A5                 | Power house Smokestack                     | 495747.65          | 4952345.88 |
| 401-A6                 | Fuel Oil Tanks                             | 495771.16          | 4952381.66 |
| 401-A7                 | Ash Pit                                    | 495772.70          | 4952369.81 |
| 401-A8                 | Coal Storage                               | 495853.61          | 4952337.68 |
| 401-A9                 | Coal Crusher House                         | 495883.76          | 4952406.45 |
| 401-AA                 | Power Plant A Flash Mixer                  | 495713.87          | 4952446.68 |
| 401-AA1                | Power Plant A Precipitator                 | 495721.77          | 4952436.97 |
| 401-AA2                | Power Plant A Precipitator                 | 495704.85          | 4952436.81 |
| 401-B                  | Power House                                | 494000.51          | 4951876.24 |
| 401-B1                 | Power House Smokestack                     | 494009.11          | 4951838.77 |
| 401-B10                | Coal Conveyor                              | 494061.30          | 4951882.72 |
| 401-B11                | Soft Water Tank                            | 494034.40          | 4951896.18 |
| 401-B12                | unidentified                               | 493990.20          | 4951936.82 |
| 401-B13                | Reclaiming Hopper                          | 494125.39          | 4951875.21 |
| 401-B2                 | Power House Smokestack                     | 494009.15          | 4951850.10 |
| 401-B3                 | Power House Smokestack                     | 494009.19          | 4951860.57 |
| 401-B4                 | Power House Smokestack                     | 494009.53          | 4951871.63 |
| 401-B5                 | Water Treatment Stacks?                    | 493982.89          | 4951898.58 |
| 401-B6                 | Fuel Oil Tanks                             | 494025.22          | 4951855.00 |
| 401-B7                 | Ash Pit                                    | 494026.34          | 4951844.00 |
| 401-B8                 | Coal Storage                               | 494130.16          | 4951827.44 |
| 401-B9                 | Crusher House                              | 494162.69          | 4951882.82 |
| 401-BB                 | Power Plant B Flash Mixer                  | 493964.28          | 4951921.87 |
| 401-BB1                | Precipitators                              | 493966.63          | 4951908.54 |
| 402-A                  | Reservoir Settling Basin                   | 495744.74          | 4952550.37 |
| 402-A1                 | Reservoir Settling Basin Pump House        | 495756.84          | 4952508.86 |
| 402-A2                 | Reservoir Settling Basin Water Inlet House | 495749.86          | 4952592.80 |
| 402-B                  | Reservoir Settling Basin                   | 494001.45          | 4952025.39 |
| 402-B1                 | Water Intake House                         | 493998.64          | 4952065.47 |
| 404-1                  | Ranney Well #1                             | 500475.34          | 4956664.37 |

**TABLE L-3  
BUILDING COORDINATES  
UTM ZONE 15N, NAD 83, CENTER OF BUILDING**

| <b>Building Number</b> | <b>Building Name</b>                            | <b>Coordinates</b> |            |
|------------------------|---|--------------------|------------|
|                        |   | <b>X</b>           | <b>Y</b>   |
| 404-2                  | Ranney Well #2                                  | 499875.92          | 4956798.89 |
| 404-3                  | Ranney Well #3                                  | 498355.60          | 4958410.40 |
| 404-4                  | Ranney Well #4                                  | 498198.37          | 4958855.31 |
| 405-A                  | Purchase Power Sub Station                      | 495698.98          | 4952341.24 |
| 405-B                  | Purchase Power Substation                       | 493964.72          | 4951810.30 |
| 405-D                  | Purchased Power Sub Station                     | 494488.98          | 4952392.13 |
| 405-D1                 | Purchased Power Substation                      | 494474.37          | 4952416.15 |
| 406-A                  | Salt Dissolving Pit                             | 495972.70          | 4952556.22 |
| 406-B                  | Salt Dissolving Pit                             | 494159.63          | 4951978.78 |
| 411-A                  | Well No. 1 Drinking Water Tank                  | 494251.38          | 4953397.84 |
| 411-A1                 | Well No. 1 Drinking Water Pump House            | 494251.38          | 4953374.87 |
| 411-A2                 | Well No. 1 Drinking Water unidentified building | 494243.19          | 4953388.33 |
| 411-A3                 | Well Pump House                                 | 494262.52          | 4953387.07 |
| 411-B                  | Well No. 2 Drinking Water Storage Tank          | 494652.42          | 4952931.83 |
| 411-B1                 | Drinking Water Pump House                       | 494674.63          | 4952918.65 |
| 411-C                  | Well  | 493993.49          | 4952089.11 |
| 412-1                  | Alcohol Ether Pump House                        | 494916.34          | 4952284.06 |
| 412-2                  | Ranney Well Water Pump House                    | 499557.07          | 4956577.20 |
| 412-B                  | Pump house                                      | 494011.07          | 4951985.76 |
| 414                    | River Pump House                                | 499617.42          | 4956603.99 |
| 414-1                  | Unknown   | 499592.06          | 4956594.51 |
| 501-10                 | Sub Station                                     | 495348.64          | 4952114.56 |
| 501-A                  | Transformer Substation                          | 495391.36          | 4952604.62 |
| 501-A2                 | Transformer Substation                          | 493647.96          | 4952073.56 |
| 501-AA1                | Possible Transformers                           | 495664.87          | 4952807.12 |
| 501-AA1                | Possible Transformers                           | 495664.87          | 4952807.12 |
| 501-AA3                | Possible Transformers                           | 495747.06          | 4952839.59 |
| 501-AA4                | Possible Transformers                           | 495824.04          | 4952838.72 |
| 501-AA4                | Possible Transformers                           | 496027.30          | 4952773.57 |
| 501-AA4                | Possible Transformers                           | 496027.30          | 4952776.57 |
| 501-B1                 | Transformer Substation                          | 495206.72          | 4952604.79 |
| 501-B2                 | Transformer Substation                          | 493462.31          | 4952078.47 |
| 501-C                  | Transformer Substation                          | 495022.93          | 4952607.33 |
| 501-C2                 | Transformer Substation                          | 493284.36          | 4952081.34 |
| 501-D2                 | Sub Station                                     | 493642.96          | 4951596.30 |
| 501-E1                 | Transformer Substation                          | 495333.32          | 4952252.63 |
| 501-F                  | Sub Station                                     | 495696.47          | 4952066.96 |
| 501-FL1                | Substation                                      | 496296.17          | 4951849.96 |

**TABLE L-3  
BUILDING COORDINATES  
UTM ZONE 15N, NAD 83, CENTER OF BUILDING**

| <b>Building Number</b> | <b>Building Name</b>                    | <b>Coordinates</b> |            |
|------------------------|---|--------------------|------------|
|                        |   | <b>X</b>           | <b>Y</b>   |
| 501-FL2                | Substation                              | 494311.70          | 4948950.81 |
| 501-MSA1               | Unidentified Possible Transformer Pad   | 494752.89          | 4952818.79 |
| 501-MSA1               | Unidentified Possible Transformer Pad   | 494752.89          | 4952818.79 |
| 501-SRA1               | Unidentified Possible Transformer Pad   | 495087.46          | 4951952.65 |
| 501-SRA2               | Unidentified Possible Transformer Pad   | 495429.59          | 4951949.58 |
| 501-SRA2               | Unidentified Possible Transformer Pad   | 495087.94          | 4952012.57 |
| 501-SRA3               | Unidentified Possible Transformer Pad   | 495429.83          | 4952010.25 |
| 501-SRA5               | Unidentified Possible Transformer Pad   | 495063.13          | 4952111.84 |
| 501-SRA5               | Unidentified Possible Transformer Pad   | 495063.13          | 4952111.84 |
| 501-SRA6               | Unidentified Possible Transformer Pad   | 495248.67          | 4952110.62 |
| 501-SRA6               | Unidentified Possible Transformer Pad   | 495248.67          | 4952110.62 |
| 501-SRA7               | Unidentified Possible Transformer Pad   | 495425.73          | 4952237.86 |
| 501-SRA7               | Unidentified Possible Transformer Pad   | 495355.90          | 4952224.17 |
| 501-SRA7               | Unidentified Possible Transformer Pad   | 495425.73          | 4952237.86 |
| 501-SRA7               | Unidentified Possible Transformer Pad   | 495355.90          | 4952224.17 |
| 501-SRA8               | Unidentified Possible Transformer Pad   | 495241.60          | 4952238.34 |
| 501-SRA8               | Unidentified Possible Transformer Pad   | 495241.60          | 4952238.34 |
| 501-SRA9               | Unidentified Possible Transformer Pad   | 495057.78          | 4952240.16 |
| 501-SRA9               | Unidentified Possible Transformer Pad   | 495057.78          | 4952240.16 |
| 501-X                  | Possible Transformer Pad or Substation  | 494771.26          | 495267.68  |
| 501-X                  | Possible Transformer Pad or Substation  | 494771.26          | 4952697.68 |
| 501-Z                  | Possible Transformer Pad or Substation? | 494698.79          | 4952699.35 |
| 501-Z                  | Possible Transformer Pad or Substation? | 494698.79          | 4952699.35 |
| 502-A                  | Unknown Metering House                  | 493624.82          | 4953950.51 |
| 502-B                  | 69 KV Metering Sub Station              | 494096.34          | 4953953.43 |
| 502-F1                 | Meter House                             | 495593.77          | 4952653.89 |
| 502-F3                 | Meter House                             | 495601.24          | 4952434.33 |
| 502-F4                 | Metering House                          | 495623.64          | 4952699.82 |
| 502-F4                 | Metering House                          | 495623.80          | 4952699.90 |
| 503-F4                 | Meter House                             | 493750.41          | 4952319.01 |
| 503-F5                 | Meter House                             | 495628.59          | 4952501.88 |
| 503-F5A                | Unidentified                            | 495590.02          | 4952498.21 |
| 503-F6                 | Meter House                             | 495485.03          | 4952521.26 |
| 510-A                  | Fire Protection Tank                    | 494544.70          | 4952400.31 |
| 601-A                  | Track Scales                            | 494504.48          | 4951525.35 |
| 611                    | Secondary Basin Dam                     | 496935.02          | 4947363.05 |
| 611-1                  | Unidentified                            | 496912.74          | 4947352.14 |
| 611-1                  | Unidentified                            | 496912.74          | 4947352.14 |

**TABLE L-3**  
**BUILDING COORDINATES**  
**UTM ZONE 15N, NAD 83, CENTER OF BUILDING**

| <b>Building Number</b> | <b>Building Name</b>                  | <b>Coordinates</b> |            |
|------------------------|---------------------------------------|--------------------|------------|
|                        |                                       | <b>X</b>           | <b>Y</b>   |
| 612-A                  | Sewage Acid Neutralization Plant      | 495759.47          | 4952664.56 |
| 612-A1                 | Lime Storage                          | 495758.28          | 4952648.30 |
| 612-B                  | Sewage Acid Neut. Plant               | 493925.08          | 4952123.43 |
| 612-B1                 | Tank                                  | 493934.44          | 4952105.56 |
| 612-D                  | Secondary Acid Neutralization station | 496969.38          | 4947354.54 |
| 612-D1                 | Unknown                               | 496940.39          | 4947318.08 |
| 612-D2                 | Still Well                            | 497055.74          | 4947377.01 |
| 614-1                  | Guard Tower                           | 495092.75          | 4953111.51 |
| 614-10                 | Guard Tower                           | 495622.67          | 4949098.29 |
| 614-11                 | Guard Tower                           | 495621.06          | 4948676.30 |
| 614-12                 | Guard Tower                           | 495619.60          | 4948398.82 |
| 614-13                 | Guard Tower                           | 495185.45          | 4948388.83 |
| 614-14                 | Guard Tower                           | 494774.56          | 4948585.63 |
| 614-15                 | Guard Tower                           | 494356.60          | 4948908.57 |
| 614-16                 | Guard Tower                           | 493906.08          | 4949255.48 |
| 614-17                 | Guard Tower                           | 493409.91          | 4949643.35 |
| 614-18                 | Guard Tower                           | 492822.14          | 4949806.71 |
| 614-19                 | Guard Tower                           | 492549.66          | 4950184.05 |
| 614-2                  | Guard Tower                           | 496011.70          | 4953061.81 |
| 614-20                 | Guard Tower                           | 492210.90          | 4950670.93 |
| 614-21                 | Guard Tower                           | 491961.04          | 4951027.52 |
| 614-22                 | Guard Tower                           | 491958.65          | 4951596.36 |
| 614-23                 | Guard Tower                           | 492414.59          | 4952125.63 |
| 614-24                 | Guard Tower                           | 492772.76          | 4952563.18 |
| 614-26                 | Guard Tower                           | 493406.66          | 4952953.08 |
| 614-27                 | Guard Tower                           | 493405.58          | 4953263.90 |
| 614-28                 | Guard Tower                           | 493753.20          | 4953472.05 |
| 614-29                 | Guard Tower                           | 494020.98          | 4953614.98 |
| 614-3                  | Guard Tower                           | 496285.92          | 4952404.15 |
| 614-30                 | Guard Tower                           | 495290.11          | 4953330.40 |
| 614-31                 | Guard Tower                           | 494525.28          | 4953356.86 |
| 614-4                  | Guard Tower                           | 496291.02          | 4951805.04 |
| 614-5                  | Guard Tower                           | 496288.25          | 4951343.48 |
| 614-52                 | Guard Tower                           | 493397.12          | 4952565.66 |
| 614-6                  | Guard Tower                           | 496281.88          | 4950837.81 |
| 614-7                  | Guard Tower                           | 496286.94          | 4950371.40 |
| 614-8                  | Guard Tower                           | 496176.99          | 4949778.12 |
| 614-9                  | Guard Tower                           | 495660.40          | 4949491.07 |

**TABLE L-3  
BUILDING COORDINATES  
UTM ZONE 15N, NAD 83, CENTER OF BUILDING**

| <b>Building Number</b> | <b>Building Name</b>                               | <b>Coordinates</b> |            |
|------------------------|--|--------------------|------------|
|                        |  | <b>X</b>           | <b>Y</b>   |
| 624                    | Truck Scales                                       | 495622.56          | 4952968.97 |
| 617-A                  | Sewage Treatment Plant                             | 495723.55          | 4952099.39 |
| 617-A1                 | Sewage Treatment Plant Primary Aerobic Digester    | 495733.31          | 4952084.53 |
| 617-A2                 | Sewage Treatment Plant Secondary Aerobic Digester  | 495723.01          | 4952084.79 |
| 617-A3                 | Sewage Treatment Sludge Drying Beds                | 495746.68          | 4952116.19 |
| 701-A                  | Clock Alley-Examination Building                   | 495355.62          | 4953118.86 |
| 701-A1                 | Clock Alley  | 495358.77          | 4953142.51 |
| 701-A2                 | Government Checker Building                        | 495293.27          | 4953100.95 |
| 701-B                  | Clock Alley Examination Building                   | 494769.42          | 4953116.77 |
| 701-B1                 | Gate House and Clock Alley                         | 494775.80          | 4953146.87 |
| 701-C                  | Clock Alley  | 493117.62          | 4952622.05 |
| 701-HH                 | Change House                                       | 494656.63          | 4950473.01 |
| 702-A                  | Telephone Building                                 | 494413.47          | 4953715.67 |
| 703-A                  | Main Office Building                               | 494186.38          | 4953768.07 |
| 703-A1                 | Foyer/Main Entrance?                               | 494186.10          | 4953825.92 |
| 703-A2                 | Vault  | 494163.18          | 4953790.19 |
| 703-A3                 | Main Office Building Out Building unknown Function | 0.00               | 0.00       |
| 703-A3                 | Main Office Building Out Building unknown Function | 0.00               | 0.00       |
| 703-A4                 | Unidentified Building                              | 494259.08          | 4953790.50 |
| 704                    | Supervisors Office                                 | 493877.96          | 4951583.32 |
| 704-A                  | Supervisor Office                                  | 495110.25          | 4952695.56 |
| 704-AA                 | NC Supervisors Office                              | 493367.46          | 4952170.90 |
| 704-B                  | Supervisor's Office                                | 495122.33          | 4952284.03 |
| 704-C                  | First Stage Supervisors Office                     | 493237.12          | 4951816.72 |
| 704-D                  | Sup. Office  | 494744.91          | 4951529.96 |
| 704-E                  | Supervisors Office                                 | 495558.73          | 4950856.75 |
| 704-F                  | Sup. Office - Transportation                       | 494829.25          | 4952692.99 |
| 704-G                  | Supervisor's Office                                | 494701.22          | 4950475.96 |
| 704-H                  | Sup. Office-Yard Master                            | 494535.26          | 4951523.58 |
| 704-K                  | Sup. Office - Finishing Operations                 | 495228.87          | 4951234.84 |
| 704-KK                 | Sup. Office-finishing operations                   | 494733.51          | 4951106.29 |
| 704-L                  | Septic Tank  | 495157.14          | 4950618.02 |
| 704-LL                 | Sup. Office-Finishing Operations                   | 493480.51          | 4950788.06 |
| 704-M                  | Sup. Office - Finishing Operations                 | 495153.07          | 4950020.57 |
| 704-U                  | Safety & Fire Inspectors Off.                      | 494284.51          | 4952346.39 |
| 704-W                  | Sup. Office-Maintenance                            | 494624.28          | 4952722.59 |
| 705-A                  | Employment and Examination Building                | 494356.74          | 4953781.45 |
| 706-A                  | Main Laboratory                                    | 494691.34          | 4952103.70 |



**TABLE L-3**  
**BUILDING COORDINATES**  
**UTM ZONE 15N, NAD 83, CENTER OF BUILDING**

| <b>Building Number</b> | <b>Building Name</b>                                | <b>Coordinates</b> |            |
|------------------------|---|--------------------|------------|
|                        |   | <b>X</b>           | <b>Y</b>   |
| 706-AA                 | Acid Storage  | 494713.55          | 4952138.52 |
| 706-B                  | Supv. Office and Lab                                | 495608.35          | 4952770.95 |
| 706-BB                 | Acid Storage  | 495625.54          | 4952791.66 |
| 706-C                  | Acid area lab & Sup office                          | 493766.96          | 4952265.67 |
| 706-CC                 | Unknown Structure Power Pole?                       | 493789.52          | 4952312.42 |
| 706-D                  | Stability Laboratory                                | 494708.27          | 4952160.96 |
| 706-D1                 | Unidentified Bldgs Near Stability Lab Chem Storage? | 494655.22          | 4952138.29 |
| 706-D2                 | Unidentified Bldgs Near Stability Lab Chem Storage? | 494675.20          | 4952156.08 |
| 706-D3                 | Unidentified Bldgs Near Stability Lab Chem Storage? | 494655.49          | 4952156.36 |
| 706-J                  | Cotton Drying Laboratory                            | 495142.27          | 4952587.49 |
| 706-K                  | Cotton Dry laboratory                               | 493400.08          | 4952060.44 |
| 707-A                  | Acid Area Change House                              | 495666.33          | 4952755.33 |
| 707-AA                 | Change House  | 493764.96          | 4952216.50 |
| 707-AAA                | Women Operators Change House                        | 493419.53          | 4951713.17 |
| 707-B                  | Nitration Change House                              | 495326.29          | 4952762.94 |
| 707-BBB                | Change House  | 494744.28          | 4951591.79 |
| 707-C                  | Nitration Change House                              | 495145.44          | 4952763.87 |
| 707-CCC                | Change House  | 494745.65          | 4951466.66 |
| 707-D                  | Change house  | 493583.07          | 4952236.27 |
| 707-DDD                | Solvent Change House                                | 495492.18          | 4952321.98 |
| 707-E                  | Purification Change House                           | 495326.56          | 4952634.08 |
| 707-EEE                | Solvent Change House                                | 493238.85          | 4951797.53 |
| 707-F                  | Purification Change House                           | 495143.74          | 4952634.92 |
| 707-FFF                | Transportation Change House                         | 494669.27          | 4952847.41 |
| 707-GG                 | Change House  | 493851.33          | 4952396.25 |
| 707-GGG                | Change House  | 494530.95          | 4951490.28 |
| 707-H                  | Shops Change House                                  | 494675.54          | 4952691.74 |
| 707-J                  | Shops Change House                                  | 494702.86          | 4952848.34 |
| 707-JJ                 | Transportation Change House                         | 494737.12          | 4952652.12 |
| 707-L                  | Solvent Change House                                | 495554.56          | 4952320.23 |
| 707-LL                 | Shops Change House                                  | 494737.11          | 4952848.50 |
| 707-M                  | First Stage Change House                            | 495303.17          | 4952238.47 |
| 707-N                  | Solvent Change House                                | 495127.23          | 4952323.79 |
| 707-P                  | First Stage Change House                            | 493565.15          | 4951747.93 |
| 707-R                  | Change House  | 494745.59          | 4951497.34 |
| 707-RR                 | Women Operators Change House                        | 495495.11          | 4952132.47 |
| 707-S                  | Change House  | 494065.01          | 4951585.17 |
| 707-SS                 | Women Operators Change House First Stage            | 495124.16          | 4952239.75 |

**TABLE L-3  
BUILDING COORDINATES  
UTM ZONE 15N, NAD 83, CENTER OF BUILDING**

| <b>Building Number</b> | <b>Building Name</b>                  | <b>Coordinates</b> |            |
|------------------------|---------------------------------------|--------------------|------------|
|                        |                                       | <b>X</b>           | <b>Y</b>   |
| 707-T                  | Site Prep Change House                | 492850.73          | 4951403.12 |
| 707-TT                 | Nitration Change house                | 493402.79          | 4952236.69 |
| 707-U                  | Labor Change House                    | 494237.28          | 4953623.63 |
| 707-UU                 | Change house                          | 493581.91          | 4952107.66 |
| 707-W                  | Change House Site Prep                | 492849.47          | 4951164.63 |
| 707-WW                 | Purification Change house             | 493401.80          | 4952108.17 |
| 707-X                  | Change House                          | 495598.06          | 4950854.39 |
| 707-XX                 | Change House                          | 495558.67          | 4950826.05 |
| 707-YY                 | First Stage Change House              | 493381.59          | 4951724.24 |
| 707-ZZ                 | First Stage Change House              | 493184.94          | 4951797.32 |
| 708-A                  | Cafeteria                             | 494290.07          | 4953745.29 |
| 708-A1                 | Cafeteria Out building Dumpster Area? | 494313.43          | 4953737.74 |
| 709-A                  | Fire Headquarters                     | 494325.81          | 4952343.20 |
| 709-B                  | Fire Station                          | 495666.28          | 4952214.76 |
| 713-A                  | General Storehouse                    | 494695.48          | 4952789.30 |
| 713-B                  | General Storehouse                    | 494819.04          | 4952792.17 |
| 714-A                  | Material Shed                         | 494937.10          | 4952729.47 |
| 715-A                  | Oil and Paint Storage                 | 494671.95          | 4952650.15 |
| 716-A                  | Garage and Repair Shop                | 494823.91          | 4952644.81 |
| 716-B                  | Car Wash and Grease Shop              | 494895.31          | 4952664.33 |
| 717-A                  | Combined Shops                        | 494750.23          | 4952734.29 |
| 717-B                  | Sand Blast                            | 494805.23          | 4952694.39 |
| 718-A                  | Locomotive House                      | 494908.43          | 4952855.26 |
| 719-A                  | First Aid Station                     | 495563.40          | 4952376.90 |
| 719-B                  | Medical Service Building              | 493804.59          | 4951852.38 |
| 720-A                  | Guards Headquarters                   | 494424.71          | 4953638.19 |
| 720-A1                 | T.C. Boiler & Coal Storage            | 494334.43          | 4953655.71 |
| 720-B                  | Storage                               | 495165.62          | 4952686.20 |
| 721-A                  | Inspectors Office                     | 494709.51          | 4952020.73 |
| 722-A                  | Acid area shop                        | 496075.10          | 4952780.10 |
| 722-B                  | Area Shop                             | 495146.76          | 4952695.25 |
| 722-BB                 | Area shop-boiling tub                 | 493402.60          | 4952169.02 |
| 722-C                  | N.C Area Shops                        | 495324.87          | 4952687.08 |
| 722-CC                 | Area shop-nitrocellulose              | 493583.01          | 4952157.27 |
| 722-D                  | Area Shop-paint                       | 494750.70          | 4952691.23 |
| 722-E                  | Checking Lumber Shed                  | 494180.81          | 4950614.13 |
| 722-F                  | Area Shop - 1st Stage                 | 494932.57          | 4952323.02 |
| 722-FF                 | Area Shop-1st Stage                   | 493383.37          | 4951758.49 |

**TABLE L-3  
BUILDING COORDINATES  
UTM ZONE 15N, NAD 83, CENTER OF BUILDING**

| <b>Building Number</b> | <b>Building Name</b>               | <b>Coordinates</b> |            |
|------------------------|------------------------------------|--------------------|------------|
|                        |                                    | <b>X</b>           | <b>Y</b>   |
| 722-G                  | Area shop-acid                     | 494006.67          | 4952221.80 |
| 722-M                  | Organics area shop                 | 493985.19          | 4952534.72 |
| 722-N                  | Paint&Riggers Shop                 | 495529.24          | 4950854.73 |
| 722-P                  | Area Shop Site Prep                | 492850.76          | 4951131.52 |
| 722-T                  | Checking Lumber Shed               | 493508.92          | 4950609.03 |
| 722-U                  | Rigger Shop                        | 494703.77          | 4952653.73 |
| 722-Y                  | Area Shop                          | 495791.79          | 4952729.73 |
| 723-A                  | Laundry                            | 495615.31          | 4952397.83 |
| 724                    | Gas Station                        | 493087.85          | 4951706.10 |
| 724-A                  | Gas Station                        | 494081.23          | 4953795.07 |
| 724-B                  | Gas Station                        | 494894.16          | 4952906.96 |
| 724-C                  | Gas Station                        | 494802.33          | 4952665.82 |
| 724-D                  | Gas Station                        | 494833.43          | 4952242.41 |
| 724-E                  | Gas Station                        | 494787.80          | 4951573.86 |
| 724-F                  | Gas Station                        | 494671.23          | 4950475.24 |
| 724-G                  | Gas Station                        | 493127.26          | 4951673.10 |
| 724-H                  | Site Prep Gas Station              | 492911.23          | 4951362.84 |
| 725-A                  | Parking Garage                     | 494676.96          | 4952572.25 |
| 725-B                  | Parking Garage                     | 494676.40          | 4952528.83 |
| 725-C                  | Parking Garage                     | 494676.07          | 4952485.63 |
| 726-A                  | Acetyline Storage                  | 494783.77          | 4952693.72 |
| 726-A1                 | Unspecified Storage                | 494795.41          | 4952694.23 |
| 726-A2                 | Unknown Function Acetylene Storage | 494778.63          | 4952679.62 |
| 727-A                  | Unidentified/Comfort Station       | 495566.52          | 4949900.51 |
| 727-B                  | Comfort station                    | 494348.64          | 4950904.52 |
| 727-C                  | Comfort Station                    | 494284.50          | 4949428.39 |
| 727-D                  | Comfort Station                    | 495073.47          | 4949042.97 |
| 727-E                  | Comfort Station                    | 494477.72          | 4950830.29 |
| 727-F                  | Comfort Station                    | 495168.22          | 4950435.15 |
| 727-G                  | Comfort Station                    | 494181.26          | 4950906.27 |
| 727-H                  | Site prep Comfort Station          | 493894.23          | 4950864.69 |
| 727-I                  | Comfort Station                    | 493000.92          | 4949972.16 |
| 727-K                  | Comfort Station                    | 495284.23          | 4952547.59 |
| 727-L                  | Comfort Station                    | 494832.34          | 4949957.50 |
| 727-M                  | Comfort Station                    | 494076.08          | 4950510.59 |
| 727-N                  | Comfort Station                    | 493708.59          | 4949974.44 |
| 727-P                  | Comfort Station                    | 495366.52          | 4949959.73 |
| 728-A                  | Staff Garage                       | 494084.55          | 4953776.22 |

**TABLE L-3  
BUILDING COORDINATES  
UTM ZONE 15N, NAD 83, CENTER OF BUILDING**

| <b>Building Number</b> | <b>Building Name</b>            | <b>Coordinates</b> |            |
|------------------------|---------------------------------|--------------------|------------|
|                        |                                 | <b>X</b>           | <b>Y</b>   |
| 729-A                  | Spare Machinery Storage         | 494825.81          | 4952838.61 |
| 729-B                  | Spare Machinery Storage         | 494776.08          | 4952839.27 |
| 729-C                  | Spare Machinery Storage         | 494621.42          | 4952836.53 |
| 729-D                  | Spare Machinery Storage         | 494621.51          | 4952790.27 |
| 730-A                  | Guard Garage                    | 494373.84          | 4953656.84 |
| 731-A                  | Salvage Building                | 494622.12          | 4952650.96 |
| 731-B                  | Salvage Building                | 494253.84          | 4950613.46 |
| 733-A                  | Service House                   | 494665.03          | 4952614.35 |
| 742-A                  | Lumber Storage Shed             | 494938.46          | 4952779.01 |
| 746                    | Field Canteen                   | 493584.59          | 4951876.35 |
| 746-A                  | Field Canteen                   | 495325.10          | 4953117.31 |
| 746-B                  | Field Canteen                   | 494875.82          | 4952709.34 |
| 746-C                  | Field Canteen                   | 495154.75          | 4952377.16 |
| 746-D                  | Field Canteen                   | 494688.84          | 4951588.41 |
| 746-E                  | Field Canteen Not Built         | 493153.80          | 4952608.01 |
| 903-A                  | Benzene nitrating               | 493872.52          | 4952495.61 |
| 904-A                  | Separating and Neut. House      | 493883.54          | 4952533.61 |
| 906-A                  | Still house                     | 493936.59          | 4952532.35 |
| 907-A                  | Reducing house                  | 493989.10          | 4952480.53 |
| 908-A                  | Iron storage                    | 493992.89          | 4952451.70 |
| 909-A                  | Aniline Storage Tanks           | 493821.17          | 4952499.38 |
| 910-A                  | Autoclave charge house          | 494027.30          | 4952528.55 |
| 911-A                  | Autoclave house                 | 494063.99          | 4952532.11 |
| 913-A                  | D.P.A. Vacuum Still House       | 494138.87          | 4952509.53 |
| 914-A                  | Oil Superheater house           | 494131.30          | 4952537.43 |
| 920-B                  | DPA Storage                     | 494144.78          | 4952453.24 |
| 921-A                  | Organics raw materials storage  | 493906.95          | 4952456.08 |
| 923-A                  | Aniline Sludge Basin            | 494078.39          | 4952807.23 |
| 924-A                  | Refined Aniline with Pump House | 493816.44          | 4952446.63 |
| 1101-01                | Staff Residences                | 491042.97          | 4953952.73 |
| 1101-02                | Staff Residences                | 491093.32          | 4953955.77 |
| 1101-1                 | Staff Residence                 | 490866.71          | 4953711.80 |
| 1101-10                | Staff Residence                 | 490967.60          | 4953769.70 |
| 1101-11                | Staff Residence                 | 491037.79          | 4953759.87 |
| 1101-12                | Staff Residence                 | 490993.16          | 4953785.35 |
| 1101-13                | Staff Residence                 | 491054.58          | 4953780.01 |
| 1101-14                | Staff Residence                 | 491012.79          | 4953806.88 |
| 1101-15                | Staff Residence                 | 491069.57          | 4953802.14 |

**TABLE L-3  
BUILDING COORDINATES  
UTM ZONE 15N, NAD 83, CENTER OF BUILDING**

| <b>Building Number</b> | <b>Building Name</b>                | <b>Coordinates</b> |            |
|------------------------|-------------------------------------|--------------------|------------|
|                        |                                     | <b>X</b>           | <b>Y</b>   |
| 1101-16                | Staff Residence                     | 491079.92          | 4953826.56 |
| 1101-17                | Staff Residence                     | 491029.42          | 4953830.18 |
| 1101-18                | Staff Residence                     | 491086.71          | 4953853.77 |
| 1101-19                | Staff Residence                     | 490874.02          | 4953759.89 |
| 1101-2                 | Staff Residence                     | 490890.96          | 4953710.66 |
| 1101-20                | Staff Residence                     | 491038.30          | 4953863.50 |
| 1101-21                | Staff Residence                     | 491089.27          | 4953880.92 |
| 1101-22                | Staff Residence                     | 491090.28          | 4953904.25 |
| 1101-23                | Staff Residence                     | 491038.97          | 4953894.75 |
| 1101-24                | Staff Residence                     | 491088.47          | 4953928.23 |
| 1101-25                | Staff Residence                     | 491038.56          | 4953925.44 |
| 1101-26                | Staff Residence                     | 490994.75          | 4953939.43 |
| 1101-3                 | Staff Residence                     | 490903.41          | 4953760.55 |
| 1101-4                 | Staff Residence                     | 490915.82          | 4953710.26 |
| 1101-5                 | Staff Residence                     | 490941.61          | 4953711.89 |
| 1101-6                 | Staff Residence                     | 490969.09          | 4953717.67 |
| 1101-7                 | Staff Residence                     | 490935.55          | 4953760.68 |
| 1101-8                 | Staff Residence                     | 490994.91          | 4953727.82 |
| 1101-9                 | Staff Residence                     | 491018.12          | 4953742.58 |
| 1501-01                | Spent Acid storage                  | 495987.92          | 4952789.91 |
| 1501-02                | Tanks                               | 496017.86          | 4952801.93 |
| 1501-03                | Tanks                               | 496005.02          | 4952818.48 |
| 1501-04                | Sulfur Melting Pit                  | 496022.50          | 4952844.20 |
| 1501-05                | Oleum Plant Sulfur Storage          | 496052.05          | 4952852.00 |
| 1501-06                | Oleum Plant Acid Cooler             | 496013.67          | 4952792.09 |
| 1501-07                | Oleum Plant Spent Acid Storage      | 495989.93          | 4952800.30 |
| 1501-08                | Oleum Plant Spent Acid Storage      | 495989.30          | 4952807.76 |
| 1501-09                | Oleum Plant                         | 496022.22          | 4952816.24 |
| 1501-10                | Oleum Plant Oleum Storage Tank      | 495989.87          | 4952861.77 |
| 1501-11                | Oleum Plant Oleum Storage Tank      | 495970.89          | 4952861.84 |
| 1501-12                | Oleum Plant Berm                    | 495994.02          | 4952736.58 |
| 1501-13                | Oleum Plant Tanks                   | 495993.54          | 4952745.98 |
| 1501-14                | Oleum Plant Tanks                   | 495993.46          | 4952724.98 |
| AP-1                   | Unidentified Building Aniline Plant | 494051.98          | 4952457.66 |
| AP-TC1                 | Temporary Storage Aniline Plant     | 494106.64          | 4952405.82 |
| AP-TC1a                |                                     | 494101.02          | 4952428.31 |
| AP-TC2                 | Temporary Storage Aniline Plant     | 494027.52          | 4952406.38 |
| AP-TC2a                |                                     | 494029.01          | 4952430.30 |

**TABLE L-3  
BUILDING COORDINATES  
UTM ZONE 15N, NAD 83, CENTER OF BUILDING**

| <b>Building Number</b> | <b>Building Name</b>                    | <b>Coordinates</b> |            |
|------------------------|---|--------------------|------------|
|                        |   | <b>X</b>           | <b>Y</b>   |
| AP-TC3                 | Field Office Aniline Plant              | 494183.54          | 4952411.07 |
| AP-TC4                 | Field Office                            | 494027.19          | 4952457.75 |
| BG-1                   | Waste Incinerators                      | 493652.26          | 4953080.13 |
| BG-2                   | Burning Grounds Berms and Flashing Area | 493681.97          | 4953230.20 |
| BG-3                   | Storage?                                | 493678.78          | 4952994.98 |
| EAA                    | Unidentified Building                   | 495889.62          | 4952557.19 |
| EAA2                   | Possible Scale                          | 496028.30          | 4952869.06 |
| FSB-1                  | Old Farmsted                            | 492955.42          | 4953104.39 |
| FSB-10                 | Old Farmstead Ruins                     | 495729.30          | 4949400.40 |
| FSB-11                 | Old Farmstead                           | 491950.15          | 4950040.43 |
| FSB-12                 | Old Farmsted                            | 493667.41          | 4953882.66 |
| FSB-13                 | Unidentified                            | 495682.07          | 4951929.80 |
| FSB-14                 | Unidentified                            | 495718.47          | 4951922.45 |
| FSB-15                 | Unidentified                            | 495717.57          | 4951944.20 |
| FSB-16                 | Snow Removal Equipment Storage          | 491842.68          | 4953953.67 |
| FSB-17                 | Unidentified Farmstead Shed             | 492565.93          | 4951599.88 |
| FSB-17                 | Unidentified Farmstead Shed             | 492565.93          | 4951599.89 |
| FSB-18                 | Unidentified                            | 492590.97          | 4951593.86 |
| FSB-18                 | Unidentified                            | 492590.97          | 4951593.85 |
| FSB-19                 |   | 492474.30          | 4951682.37 |
| FSB-19                 |   | 492474.30          | 4951682.37 |
| FSB-2                  | Old Farmsted                            | 494636.47          | 4951624.21 |
| FSB-20                 | Farm House                              | 494482.86          | 4953931.63 |
| FSB-3                  | Old Farmhouse                           | 494799.12          | 4949974.47 |
| FSB-4                  | Old Farmsted Shed                       | 493697.57          | 4953891.50 |
| FSB-5                  | Old Farmstead?                          | 495574.14          | 4953724.48 |
| FSB-6                  | Old barn?                               | 495565.52          | 4953657.66 |
| FSB-7                  | Old farmstead shed?                     | 493611.69          | 4953877.61 |
| FSB-8                  | Shed?                                   | 495723.44          | 4952915.75 |
| FSB-9                  | Tower/tank of some type                 | 492767.28          | 4951483.96 |
| GCP-1                  | Unidentified                            | 495329.68          | 4952665.09 |
| GCP-2                  | Unidentified                            | 495443.86          | 4952382.03 |
| MSA-                   | Construction Transportation Office      | 495112.21          | 4952977.80 |
| MSA-1                  | Various Sheds?                          | 494741.06          | 4952622.15 |
| MSA-2                  | Cary Pipe Co                            | 494792.21          | 4952451.93 |
| MSA-3                  | Lead Burners Shop                       | 495603.11          | 4952925.44 |
| MSA-4                  | Shed?                                   | 495742.82          | 4952914.83 |
| MSA-5                  | Shed?                                   | 495719.92          | 4952935.40 |

**TABLE L-3  
BUILDING COORDINATES  
UTM ZONE 15N, NAD 83, CENTER OF BUILDING**

| <b>Building Number</b> | <b>Building Name</b>                     | <b>Coordinates</b> |            |
|------------------------|--|--------------------|------------|
|                        |  | <b>X</b>           | <b>Y</b>   |
| MSA-6                  | Const. Steel Fabricating Shop            | 495685.13          | 4952944.11 |
| MSA-7                  | Unidentified                             | 494851.92          | 4952594.07 |
| MSA-TC1                |  | 495006.72          | 4952933.30 |
| MSA-TC10               |  | 495013.32          | 4952916.90 |
| MSA-TC13               | Carpenter Shop                           | 494722.10          | 4953030.92 |
| MSA-TC14               | Const Paint Rigger Shop                  | 494799.77          | 4952940.43 |
| MSA-TC19               |  | 495077.13          | 4952919.08 |
| MSA-TC2                |  | 494914.12          | 4952958.62 |
| MSA-TC3                | Crane Repair Shop Const.                 | 494789.88          | 4952978.03 |
| MSA-TC3a               | Const Millwright Office                  | 494752.65          | 4952940.24 |
| MSA-TC3b               | Foreman Shack                            | 494869.52          | 4952947.01 |
| MSA-TC3c               | Foreman Shack                            | 494757.23          | 4953029.21 |
| MSA-TC3d               | Foreman's Shack                          | 494670.17          | 4953035.68 |
| MSA-TC4                |  | 494539.64          | 4953003.29 |
| MSA-TC42               | Farm Residence                           | 495556.91          | 4953092.63 |
| MSA-TC5                | Riggers Shop (Const)                     | 493089.01          | 4951782.51 |
| MSA-TC8                | Clock Alley                              | 494681.16          | 4952990.55 |
| MSA-TC9                | Const Machine Shop                       | 494723.80          | 4952959.25 |
| PMA1                   | Temporary Warming Station/Old Farm House | 495590.20          | 4951515.90 |
| PSA-1                  | Unknown Building Powder Storage Area     | 494263.91          | 4948893.52 |
| SPA-TC2                | Foreman Shack                            | 493774.38          | 4952043.79 |
| SPA-TC3                | Foreman Shack                            | 493942.72          | 4951920.91 |
| SPB-TC1                | Associated With Steam Plant B            | 493938.94          | 4951992.58 |
| SPB-TC12               | Carpenter Shop                           | 493795.17          | 4951997.41 |
| SPB-TC4                | Associated With Steam Plant B            | 493937.93          | 4952005.68 |
| SPB-TC5                | Associated With Steam Plant B            | 493937.98          | 4952017.27 |
| SPB-TC6                | Unidentified                             | 493801.67          | 4952032.85 |
| SPB-TC7                | Associated With Steam Plant B            | 493938.20          | 4951985.55 |
| SPB-TC7                | Associated With Steam Plant B            | 493938.20          | 4951985.55 |
| SPB-TC9                | Electric                                 | 493813.67          | 4951912.00 |
| SRA-3                  | Pipe Shop                                | 495346.86          | 4952373.45 |
| SRA-TC1                | Unidentified                             | 493939.40          | 4951601.66 |
| WAA-TC1                | West Acid Area Warehouse                 | 493964.04          | 4952154.36 |
| WAA-TC10               | Boiler House                             | 493797.46          | 4952131.30 |
| WAA-TC11               | Western Acid Area Warehouse              | 494003.03          | 4952148.13 |
| WAA-TC14               | Paint Shop                               | 493837.21          | 4952131.19 |
| WAA-TC2                | West Acid Area Warehous                  | 494034.87          | 4952152.27 |
| WAA-TC4                | Unidentified                             | 493859.10          | 4952152.61 |

**TABLE L-3  
BUILDING COORDINATES  
UTM ZONE 15N, NAD 83, CENTER OF BUILDING**

| <b>Building Number</b> | <b>Building Name</b>                              | <b>Coordinates</b> |            |
|------------------------|---|--------------------|------------|
|                        |   | <b>X</b>           | <b>Y</b>   |
| WAA-TC5                | Unknown Building Government Inspector?            | 493881.98          | 4952133.13 |
| WAA-TC6                | unidentified                                      | 493827.16          | 4952217.10 |
| WAA-TC7                | Unidentified                                      | 493762.40          | 4952301.58 |
| WAA-TC8                | Unidentified                                      | 493916.97          | 4952081.76 |
| WAA-TC9                | Boiler House                                      | 493854.36          | 4952131.58 |
| WGCP-15                | Unidentified                                      | 493432.12          | 4952191.94 |
| WGCP-16                | Unidentified                                      | 493583.20          | 4952071.88 |
| WGCP-17                | Garage  | 493647.22          | 4952413.46 |
|                        | Carpenter Shop Temporary <input type="checkbox"/> |                    |            |
| WGCP-TC1               | Carpenter Shop Temp Const                         | 493632.47          | 4952453.20 |
|                        | Carpenter Shop Temporary <input type="checkbox"/> |                    |            |
| WGCP-TC1               | Carpenter Shop Temp Const                         | 493632.47          | 4952453.20 |
| WGCP-TC10              | Farm Machine Shed                                 | 493159.53          | 4952207.18 |
| WGCP-TC11              | Unidentified TC                                   | 493058.71          | 4952358.33 |
| WGCP-TC12              | Carpenter Shop                                    | 493246.90          | 4952003.49 |
| WGCP-TC13              | Boiler House                                      | 493247.95          | 4951977.81 |
| WGCP-TC14              | Unidentified Temporary Construction               | 493709.15          | 4952464.87 |
| WGCP-TC15              | Unidentified                                      | 493243.29          | 4951912.37 |
| WGCP-TC18              | Capenter Shop and Lumber Storage                  | 493498.90          | 4952445.71 |
| WGCP-TC19              | Bus Loading                                       | 493147.00          | 4952557.48 |
| WGCP-TC2               | Unidentified                                      | 493243.85          | 4951899.02 |
| WGCP-TC20              | Bus Loading                                       | 493145.52          | 4952572.69 |
| WGCP-TC3               | Foreman's shack                                   | 493172.18          | 4952156.14 |
| WGCP-TC4               | Reinf. Steel Shed                                 | 492919.12          | 4952404.21 |
| WGCP-TC5               | Foreman's shack?                                  | 493147.42          | 4952353.23 |
| WGCP-TC6               | Foreman's Shack?                                  | 493085.57          | 4952351.62 |
| WGCP-TC7               | Government Inspector                              | 493248.29          | 4951956.75 |
| WGCP-TC8               | Millwright Shop                                   | 493089.50          | 4951733.76 |
| WGCP-TC9               | Garage?   | 493549.73          | 4952405.76 |
| WPM-1                  | Unidentified                                      | 493557.39          | 4951243.90 |
| WSR-1                  | unidentified                                      | 493741.65          | 4951811.46 |
| WSR-T04                | Supervisors Office                                | 494031.73          | 4951585.40 |
| WSR-TC1                | Electrical Shop                                   | 493050.48          | 4951694.64 |
| WSR-TC14               | Paint Shop  | 493104.12          | 4951814.13 |
| WSR-TC2                | Salvage Yard Area Unknown Building                | 494411.47          | 4951593.37 |